

---

Subject: Signed and unsigned integer problem  
Posted by [Alexei Chirokikh](#) on Tue, 07 Oct 1997 07:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_000F\_01BCD336.752C8D40  
Content-Type: text/plain;  
charset="koi8-r"  
Content-Transfer-Encoding: quoted-printable

Hi, all  
I have data file which is in unsigned integer format. How can I properly =  
read in PV-Wave?

--  
AC

-----=\_NextPart\_000\_000F\_01BCD336.752C8D40  
Content-Type: text/html;  
charset="koi8-r"  
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD W3 HTML//EN">
<HTML>
<HEAD>

<META content=3Dtext/html;charset=3Dkoi8-r http-equiv=3DContent-Type>
<META content=3D"MSHTML 4.71.1712.3" name=3DGENERATOR>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT color=3D#000000 size=3D2>Hi, all</FONT></DIV>
<DIV><FONT color=3D#000000 size=3D2>I have data file which is in =
unsigned integer=20
format. How can I properly read in PV-Wave?</FONT></DIV>
<DIV><FONT color=3D#000000 size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000000 size=3D2>--</FONT></DIV>
<DIV><FONT color=3D#000000 size=3D2>AC</FONT></DIV></BODY></HTML>
```

-----=\_NextPart\_000\_000F\_01BCD336.752C8D40--

---