
Subject: Re: S: IDL- Language Mode for NEdit 5.0
Posted by [Tony Papenfuss](#) on Tue, 20 Jan 1998 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Robert S. Hill wrote:

```
>
> On 14 Jan 1998, HSR Sys-Admin wrote:
>> Hello,
>>
>> is there anybody, who has written a nice language-code
>>
>> for NEDIT 5.0 for Syntax highlighting?
>
> I'm interested in this, too. I took a crack at doing it myself, but
> realized quickly that I don't have time.
>
> --
> Robert.S.Hill.1@gsfc.nasa.gov Phone: 301-286-3624
> Raytheon STX / Code 681, NASA/GSFC, Greenbelt, MD 20771
```

This remains a work in progress:

```
IDL:1:0{\n\
Data:"<(byte|fix|long|float|double|complex|string)>"::Keyword::\n\
Functions:"<(min|max)>"::Keyword::\n\

Keywords:"<(where|print|reform|call_external|common|tv|tvsc) >"::Keyword::\n\
Flow
control:"<(for|do|endfor|if|then|endif|else|endelse|begin)> "::Flow
control::\n\

Logicals:"<(eq|EQ|ne|NE|lt|LT|le|LE|gt|GT|ge|GE|and|AND|or|OR) >"::Logicals::\n\
Comment:";":"$":Comment::\n\
String:"""::String::\n\
String 1:"""::String1::\n\
Brackets:"[{()}"::Brackets::\n\
Numeric
const:"< ((0(x|X)[0-9a-fA-F]*)|(((0-9)+\\.?[0-9]*)|(\.[0-9]+))((e|E) (\[+-]?[0-9]+)?)(l|L|d|D|b)? >\n\
"::Numeric Const::\n\
Procedures:"^[(pro|PRO|function|FUNCTION)*!]"::Subroutine::\n\
Procedure flow:"<(return|RETURN|stop|STOP|end|END)>"::Subroutine::\n\

--
Tony Papenfuss
EMAIL: tonyp@resmel.bhp.com.au
```
