
Subject: problems with XInterAnimate

Posted by [Martin Schultz](#) on Wed, 28 Jan 1998 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi again,

this time I am on the questioning side again: When I run the attached program on our IBM 39H with AIX 4.1, I receive the error message

```
% X windows protocol error: BadDrawable (invalid Pixmap or Window parameter).
```

right at the very end, i.e. all the pixmaps have been created and loaded into XInterAnimate, and the animator window already appears on the screen. However, no image is displayed, and IDL does not react to any keystroke or mouseclick any more (except Ctrl-Z after which I have to kill it).

At some point the program *did* work and went smoothly through the animation. I haven't tried rebooting the terminal yet, I will tell you later if this helped. Note for David: I am using your TVimage, but I doubt that this could cause the trouble.

If anyone has experience with this error message, please let me know.

Regards,
Martin.

Dr. Martin Schultz
Department for Earth&Planetary Sciences, Harvard University
186 Pierce Hall, 29 Oxford St., Cambridge, MA-02138, USA

phone: (617)-496-8318
fax : (617)-495-4551

e-mail: mgs@io.harvard.edu
IDL-homepage: <http://www-as.harvard.edu/people/staff/mgs/idl/>

```
;-----  
;+  
; NAME:  
;   SAT_TRAJEC2  
;  
; PURPOSE:  
;   overlay flight track of aircraft and few backtrajectories
```

```

; and loop through satellite images to detect cloud encounter
; (built for LNOX/PNOX analysis of PEM-Tropics)
; VERSION with 1/2 day time interval and IR images
;
; CATEGORY:
; data analysis
;
; CALLING SEQUENCE:
; SAT_TRAJEC2 [,keywords]
;
; INPUTS:
; FLIGHTDATA --> array with the merged data for the selected flight
; or all flights. Must be accompanied with FLIGHTHEADER
; parameter. If this parameter contains less than 2 elements,
; the file ~mgs/terra/chem1d/INPUT/allnmhc.data is read.
;
; FLIGHTHEADER --> vector with variable names of FLIGHTDATA. Must
; contain the following entries: FLIGHT, LON, LAT, ALTP, PSMB,
; and JDAY
;
; TRAJDATA --> trajectory data for this case. This is a structure
; containing the fields LON, LAT, TIME, ALT, and FLAG as
; returned by READ_TRAJ.PRO. Don't worry about it, simply
; pass a named variable (so it won't have to be read every
; time) and use the /LOADNEW keyword if you move to another day.
;
; KEYWORD PARAMETERS:
; FLIGHTNO --> flight number to be analyzed
;
; LON, LAT, ALT --> geographic location of point to be analyzed
;
; /LOADNEW --> set thiskeyword to force reading of new trajectory
; data. (sure: the program could keep track of day changes,
; but I want to get some sleep as well ;-))
;
; OUTPUTS:
; plots a satellite image and overlays flight TRAJEC of
; aircraft
;
; SUBROUTINES:
;
; REQUIREMENTS:
; uses procedure MAP_IMAGE
;
; NOTES:
;
; EXAMPLE:
;
;

```

```

; MODIFICATION HISTORY:
;   mgs, 28 Jan 1998: VERSION 1.00
;
;
;-
; Copyright (C) 1998, Martin Schultz, Harvard University
; This software is provided as is without any warranty
; whatsoever. It may be freely used, copied or distributed
; for non-commercial purposes. This copyright notice must be
; kept with any copy of this software. If this software shall
; be used commercially or sold as part of a larger package,
; please contact the author to arrange payment.
; Bugs and comments should be directed to mgs@io.harvard.edu
; with subject "IDL routine sat_trajec"
;-----

```

```

pro sat_trajec2,flightdata,header,trajdata,flightno, $
lon=lon,lat=lat,alt=alt,loadnew=loadnew

```

```

; program requires FLIGHTNO, LON, LAT, and ALT
  if (n_elements(flightno) le 0 OR n_elements(LON) le 0 $
      OR n_elements(LAT) le 0 OR n_elements(ALT) le 0) then $
      message,'SAT_TRAJEC: requires FLIGHTNO, LON, LAT, and ALT keywords.'

```

```

; parse parameters, set defaults
  if (n_elements(waittime) le 0) then waittime = 2.

```

```

; if flightdata is not passed, read it now
  if(n_elements(flightdata) lt 2) then $
      readdata,'~/terra/chem1d/INPUT/allnmhc.data',flightdata,header, $
      delim=' ',skp1=1,skp2=3

```

```

; if trajdata is not passed, read it now, else extract from structure
  if(n_elements(trajdata) le 0 OR keyword_set(loadnew)) then begin
      read_traj,'/data/pem-t/traj_dc8/fs101d'+ $
          string(flightno,format='(i2.2)')+ $
          '.pmt',ttime,tlon,tlat,talt,flag=flag
      trajdata = { time:ttime, lon:tlon, lat:tlat, alt:talt, flag:flag }
  endif else begin
      ; check if trajdata is valid structure
      test = size(trajdata)
      if (test(test(0)+1) ne 8) then begin
          print,'trajdata is not a valid structure.'
          stop
      endif

```

```

      ttime = trajdata.time

```

```

    tlon = trajdata.lon
    tlat = trajdata.lat
    talt = trajdata.alt
    flag = trajdata.flag
endelse

```

```

; extract position variables from aircraft data set

```

```

aflight = flightdata(where(header eq 'FLIGHT'),*)
aday = flightdata(where(header eq 'JDAY'),*)
alon = flightdata(where(header eq 'LON'),*)
alat = flightdata(where(header eq 'LAT'),*)
aalt = flightdata(where(header eq 'ALTP'),*)
apsmb = flightdata(where(header eq 'PSMB'),*)

```

```

aind = where(aflight eq flightno)
if (aind(0) lt 0) then $
    message,'Invalid FLIGHTNO !'

```

```

; extract day of flight
jday = aday(aind(0))

```

```

; retrieve (mean) pressure level for altitude
tmp = aalt(aind)
ind = where(abs(alt-tmp) lt 0.15)
if (ind(0) lt 0) then begin
    print,'cannot find pressure for altitude ',alt
    stop
endif
meanp = apsmb(aind)
meanp = total(meanp(ind))/float(n_elements(ind))

```

```

; look for trajectory starting points near case under investigation

```

```

tlon0 = tlon(0,*)
tlat0 = tlat(0,*)
talt0 = talt(0,*)
tind = where(abs(lon-tlon0) lt 2. AND abs(lat-tlat0) lt 2. $
    AND abs(meanp-talt0) lt 50.)

```

```

print,' Selected ',n_elements(tind)*(tind(0) ge 0),' trajectories.'
if (tind(0) lt 0) then begin
    print,'Cannot find suitable trajectories.'
    stop
endif

```

```

ttime = ttime(*,tind)
tlon = tlon(*,tind)
tlat = tlat(*,tind)
talt = talt(*,tind)
flag = flag(*,tind)

; load color table grey scale and change first 20 colors
myct,0 ; load grey scale color table
; gamma_ct,1.6 ; enhance contrast

; open graphics window of nice size
window,0,xsize=900,ysize=850

; set up animation
XInterAnimate,set=[900,850,11],/cycle,/track, $
title='Trajectory cloud chasing'

; loop through satellite images and plot composite image
; use only 1 daily visible image for now

for i=0,9 do begin
sday = string(jday-(i+1)/2,format='(i3.3)')
stime = '1500'
if (fix(i/2.) eq i/2.) then stime = '0300'
satfile = '~/download/gte/'+sday+'_'+stime+'ful3.jpg'
if (not file_exist(satfile)) then begin
print,'cannot find satellite image '+satfile
goto,nextone
endif
read_jpeg,satfile,satim

; cut off border
; values for visible image 2100ful1
a = satim
if (stime eq '2100') then a = satim(93:1041,23:927)
; values for infrared image 0300ful3
if (stime eq '0300') then begin
a = satim(0:744-1-66,24:*)
endif
; values for infrared image 1500ful3
if (stime eq '1500') then a = satim(66:*,24:*)

p = [ 0.02, 0.02, 0.98, 0.98 ]
tvimage,a,position=p,/keep_aspect,ncolors=60,bottom=20
!p.position=p
map_set,0,-135./,satellite,sat_p=[5.5,0.,-.5],/noerase

```

```

map_continents,color=1
map_grid,color=1,latdel=15,londel=15

; overlay flight tracks, highlight current flight
oplot,alon,alat,color=5
oplot,alon(aind),alat(aind),color=3

; overlay trajectories, highlight current time points
for t=0,n_elements(tind)-1 do begin
  okind = where(flag(*,t) eq 0)
  oplot,tlon(okind,t),tlat(okind,t),color=4,thick=2
endfor
for t=0,n_elements(tind)-1 do begin
  dind = where(ttime(*,t) eq i/2.)
  if (dind(0) ge 0) then $
    oplot,tlon(dind,t),tlat(dind,t),color=2, $
      psym=sym(1),symsize=0.8
endfor
; wait,waittime
nextone:

print,'***** FRAME = ',i
; load image in XInterAnimate buffer
  XInterAnimate,frame=i>window=0

  endfor ; image loop

; start animation
  XInterAnimate

return
end

```

File Attachments

1) [sat_trajec2.pro](#), downloaded 118 times
