Subject: Re: Help Me!!

Posted by pjclinch on Tue, 06 Jul 1993 10:54:36 GMT

View Forum Message <> Reply to Message

Marc Day (marc@alisa.ucla.edu) wrote:

- : In article <21544k\$gr4@news.u.washington.edu>, sbg@stein.u.washington.edu (Bonggee Song) writes:
- : No big deal here (your system administrator should have told you
- : this step). There is a file
- : /u4/pvi/wave/bin/wvsetup
- : that will define all the environment variable for you. At the UNIX prompt
- : type
- : csh> source /u4/pvi/wave/bin/wvsetup

... etc ...

Note that this is for the c-shell only... If you're using the Bourne or Korn shells the procedure is similar, but the file is wvsetup.sh, and should be run in the current shell (not as a subshell) by typing

. <pathname>/wvsetup.sh

You can, of course, extract the necessary commands to set the env. variables from the file and transplant them to your .profile script, but whatever way, if you've got it right then typing "wave" (or "waveadv" if you've got the new beefed up version) should set you going with no problems.

Pete.

--

Peter Clinch University of Dundee phone 44 382 (voice) 60111 x 2050 (fax) 632970 Department of Medical Physics email pjclinch@dux.dundee.ac.uk Ninewells Hospital Dundee, DD1 9SY, Scotland, UK