
Subject: Re: Longword plotting problems...
Posted by DAMIANO ZILIO on Tue, 23 Jun 1998 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

R. Bauer wrote:

```
>>
>> ; Example code
>>
>>     time=lindgen(10)+13254100
>>
>>     data=findgen(10)
>>
>>     plot,time,data
>>
>> ; Just to show that time should increase smoothly in the plot
>>
>>     print,time
>
> --
> R.Bauer
>
> Institut fuer Stratosphaerische Chemie (ICG-1)
> Forschungszentrum Juelich
> email: R.Bauer@fz-juelich.
```

I don't know where is the problem...
but making some tests I understood that the plot procedure become crazy
when works with 8 digits long integer number (such as your dates).
Now, you can easily avoid the "step line" problem with a translation of the
x-axis origin,
i.e.
> xtrasl=min(time)
> plot,time-xtrasl,data
and then, if you want, you can define the "original" thick marks playing with
the keywords:
xtickv=[a],xtickn=[b],xticks=n
where a and b and n are calculated from time and xtrasl

Hope that helps

Regards

--

Damiano Zilio

Joint Research Centre of the Commission of
the European Communities

I-21020 Ispra (VA)
Environment Institute TP 321

my tel: +39-332-78 9520
my fax: +39-332-78 5466
my Email: damiano.zilio@jrc.it
