
Subject: Re: ActiveX method SetNamedArray
Posted by [Reinhold Schaaf](#) on Tue, 18 Aug 1998 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

<HTML>

<TT>I don't know the answer, but:</TT><TT></TT>

<P><TT>In the example C++ programm which comes with IDL 5.1 this point
is referenced as "the \$ 64.000 question"!</TT><TT></TT>

<P><TT>My workaround: Pass scalars with SetNamedData and construct the
array in IDL (with ExecuteStr). This works, but seems to be quite inefficient,
so I am highly interested to see this question to be setteled, too!</TT><TT></TT>

<P><TT>Reinhold</TT>

<TT></TT> </TT>

<TT></TT> </TT><TT></TT>

<P><TT>Richard J Troup wrote:</TT>
<BLOCKQUOTE TYPE=CITE><TT>I'm looking the a way to undo the reference to
external memory which was</TT>

<TT>made by the IDL ActiveX command SetNamedArray. IDL appears to place
a lock</TT>

<TT>on the memory and is not allowing for memory clean up.</TT><TT></TT>

<P><TT>I'm sure there must be an obvious note in the s/w manuals but I
can't find</TT>

<TT>it.</TT><TT></TT>

<P><TT>Help is appreciated. Thank you</TT>

<TT>Richard Troup</TT>

<TT>rjtroup@west.raytheon.com</TT></BLOCKQUOTE>
<TT> </TT><TT></TT>

<P><TT>--</TT>

<TT>***** * </TT>

<TT> </TT>Reinhold Schaaf</TT>

<TT> </TT>Ettighofferstr. 22</TT>

<TT> </TT>53123 Bonn</TT>

<TT> </TT>Germany</TT><TT></TT>

<P><TT> </TT>Tel.: </TT>(49)-228-625713</TT>

<TT> </TT>Email: schaaf@astro.uni-bonn.de</TT>

<TT>***** * </TT>

<TT> </TT></HTML>
