
Subject: linked list example

Posted by [Doug Larson](#) on Wed, 02 Sep 1998 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Here is a set of linked list modules I made for my own use. I hesitate to post them since they are not "bullet-proof" but they do the job. Hopefully someone will be inspired to write a better open source linked list library.

My system administrator would not buy the "Fanning" book for me due to tight resources, so I had to invent my own (kluge) solutions.

Cheers,
Douglas J. Larson, PiledHigher&Deeper
Space Radiation Lab
California Institute of Technology
Mail Code: 220-47
Pasadena, CA 91125

```
. *****
;
;+
; Setup_llist.pro
;
; PURPOSE:
;   Setup a new node of a generic linked list.
;
; CATEGORY:
;   Generic linked list generator. This function is NOT an insert operator.
;
; CALLING SEQUENCE:
; somenewnode = ptr_new(Setup_llist(bugmsg))
;
; KEYWORD PARAMETERS:
;
; COMMON BLOCKS:
; None
;
; OUTPUTS:
; Data structure
;
; MODIFICATION HISTORY:
; Created by: Douglas J. Larson, 18 August, 1998.
;-
. *****
;
```

```

FUNCTION Setup_llist, bugmsg

if ( bugmsg eq 1 ) then message, ' Entered', /INFORMATIONAL

lls = { nodePtr:PTR_NEW(), $ ; Points to the linked list information
      next:PTR_NEW() } ; Pointer to the next data vector

if ( bugmsg eq 1 ) then message, ' Exited', /INFORMATIONAL

RETURN, lls

END
. *****
;+
; llist_insert.pro
;
; PURPOSE:
;   Setup a new node of a generic linked list.
;
; CATEGORY:
;   Generic linked list generator. This function is NOT an insert operator.
;
; CALLING SEQUENCE:
;
; KEYWORD PARAMETERS:
;
; COMMON BLOCKS:
; None
;
; OUTPUTS:
; Data structure
;
; MODIFICATION HISTORY:
; Created by: Douglas J. Larson, 18 August, 1998.
;-
. *****
FUNCTION llist_insert, bugmsg, startPtr, value

if ( bugmsg eq 1 ) then message, ' Entered', /INFORMATIONAL

if NOT(PTR_VALID(startPtr)) then begin
  if ( bugmsg eq 1 ) then message, 'startPtr is NULL', /INFORMATIONAL
  startPtr = PTR_NEW(Setup_llist(bugmsg))
  currentPtr = startPtr
endif else if (PTR_VALID(startPtr)) then begin
  if ( bugmsg eq 1 ) then message, 'startPtr is Valid', /INFORMATIONAL
  currentPtr=startPtr
  while (PTR_VALID(currentPtr)) do begin

```

```

previousPtr=currentPtr
currentPtr=(*currentPtr).next
endwhile
(*previousPtr).next = PTR_NEW(Setup_llist(bugmsg))
currentPtr=(*previousPtr).next
endif
(*currentPtr).nodePtr = value
(*currentPtr).next = PTR_NEW()

if(bugmsg eq 1 ) then begin
  if NOT(PTR_VALID(value)) then begin
    message,'value is NULL', /INFORMATIONAL
  endif else begin
    message,'value is Valid', /INFORMATIONAL
  endif
  if(NOT(PTR_VALID(startPtr)) or NOT(PTR_VALID(currentPtr)))then begin
    print,'PTR_VALID(startPtr)=',PTR_VALID(startPtr)
    print,'PTR_VALID(nextPtr)=',PTR_VALID(nextPtr)
    print,'PTR_VALID(currentPtr)=',PTR_VALID(currentPtr)
  endif
endif
endif

```

```

if ( bugmsg eq 1 ) then message,'Exited', /INFORMATIONAL

```

```

RETURN, currentPtr

```

END

```

; *****
;
;+
; PURPOSE:
; Return the pointer to the desired record in the linked list.
;
; CALLING SEQUENCE:
;
; EXAMPLE:
;
; REQUIRED ROUTINES:
;
; VARIABLES:
; bugmsg      - Debugging message activator (0-No messages, 1-verbose mode)
;
; MODIFICATION HISTORY:
;   Created: Douglas J. Larson, 05 August, 1998.
;
; -
; =====
=====

```

```

function llist_lookup, bugmsg, startPtr, key, criteria

```

```

if(bugmsg eq 1) then message,' Entered', /INFORMATIONAL

if NOT(PTR_VALID(startPtr)) then begin
  if ( bugmsg eq 1 ) then message,'startPtr is NULL', /INFORMATIONAL
  retval = PTR_NEW()
endif else if (PTR_VALID(startPtr)) then begin
  if ( bugmsg eq 1 ) then message,'startPtr is Valid', /INFORMATIONAL

; Create a pointer to the heap variable pointed at by _startPtr_.
currentPtr = startPtr

    uckey = STRUPCASE(key)

    tag_number = where(tag_names((*currentPtr).nodeptr)) eq uckey, count)
if(bugmsg eq 1) then begin
    print,'counter=',count,' uckey=',uckey,' tag_number=',tag_number
endif

done = 0
while (done eq 0) do begin
  if(bugmsg eq 1) then begin
text='Tag String Requested='+key
message, text, /INFORMATIONAL
help,criteria
;help,(*currentPtr).(tag_number[0])
endif
if(criteria eq ((*currentPtr).nodeptr).(tag_number[0])) then begin
  retval = (*currentPtr).nodeptr
  done = 1
endif else begin
  ; Move to the next link in the list
  currentPtr = (*currentPtr).next
  if(ptr_valid(currentPtr) eq 0) then begin
    retval = ptr_new()
    done = 0
  endif
endif
endwhile
endif

if(bugmsg eq 1) then message,' Exited', /INFORMATIONAL

RETURN, retval
END
; *****
;+
; llist_print.pro

```

```

;
; PURPOSE:
;   Print a specified node element of an entire generic linked list.
;
; CATEGORY:
;   Generic singly linked list.
;
; CALLING SEQUENCE:
;   llist_print, bugmsg, startPtr, fieldwanted
;
; KEYWORD PARAMETERS:
;
; COMMON BLOCKS:
;   None
;
; OUTPUTS:
;   Data structure
;
; MODIFICATION HISTORY:
;   Created by: Douglas J. Larson, 22 August, 1998.
;-
; =====
=====
FUNCTION llist_print, bugmsg, startPtr, fieldwanted

if ( bugmsg eq 1 ) then message, ' Entered', /INFORMATIONAL

retval = 1
if NOT(PTR_VALID(startPtr)) then begin
  if ( bugmsg eq 1 ) then message, 'startPtr is NULL', /INFORMATIONAL
  retval = 0
endif else if (PTR_VALID(startPtr)) then begin
  ; Create a second pointer to the heap variable pointed at by _startPtr_.
  currentPtr = startPtr

  ; IDL likes all structure tags in uppercase.
  fieldwanted = strupcase(fieldwanted)

  tag_number = where(tag_names((*currentPtr).nodeptr)) eq fieldwanted, count)

  if(count eq 0)then begin
    message, 'Tag is NOT in structure, check the code!'
    retval = 0
  endif else begin
    ; Traverse the linked list and print the list element information.
    while PTR_VALID(currentPtr) do begin
      print, currentPtr, ',named ', $
        (*currentPtr).nodeptr).(tag_number[0]), $

```

```
        ', points to: ', (*currentPtr).next
    currentPtr = (*currentPtr).next
endwhile
endelse
; PTR_FREE,currentPtr
endif

if ( bugmsg eq 1 ) then message,'Exited', /INFORMATIONAL

return, retval
end
```

File Attachments

1) [l1ist.txt](#), downloaded 98 times
