Subject: Re: Talking with my C data

Posted by davidf on Fri, 13 Nov 1998 08:00:00 GMT

View Forum Message <> Reply to Message

Stein Vidar Hagfors Haugan (steinhh@ulrik.uio.no) writes:

- >> I would like to write IDL code to manage the taking and displaying of
- >> the data. Should I use call\_external or linkimage? Is there a speed
- >> difference or just a level of complexity difference?

>

- > There probably is a tiny bit of speed difference (with call\_external
- > probably being slower), but it all depends on exactly how you do
- > it. If you need a lot of parameter (type) checking etc, this is a
- > lot easier to do in an IDL wrapper around the call\_external, rather
- > than inside a linkimage routine, but must necessarily slow things
- > down a little. If you need to do one call to grab each frame (at
- > video rates or higher), this could have implications, but if you
- > grab a sequence at a time, should be negligible.

I'm not so sure Call\_External is any slower, although I would certainly defer to Stein Vidar's experience in the matter. I think of the difference between Call\_External and LinkImage as being one of complexity. In fact, I like to think of Call\_External as being "LinkImage Lite". It does the same thing, but with a simpler interface, and without all the powerful features (and complexity) of LinkImage. But you still get shared memory with both. (Although with Call\_External it is absolutely essential, as Stein Vidar points out, that the memory space be allocated on the IDL side and not the C side.)

- >> Once the data is read out of the camera into memory can I use IDL to
- >> read the data from the memory or should I continue to have C write the
- >> data with fwrite and then can I have IDL read that data from the file
- >> created with fwrite? In either case I am not sure how to make IDL get
- >> the data.

Using a file has one HUGE advantage: it is portable across all machine architectures. :-)

- > The crucial thing here is how you control the size of your data
- > cubes, and exactly how the data is acquired. If the data is coming
- > in real-time, at a fixed (or externally controlled) frame rate not
- > controlled by your program (i.e. not polled, but using
- > interrupts/signals in some way), you \*may\* come to the final
- > conclusion that this is one of the things IDL won't do! It depends
- > on which interrupts/signals are used, and how program flow is
- > supposed to be controlled.

Very true and often misunderstood. IDL was not \*designed\* originally to be a program that called other programs. It was designed as a stand-alone piece of code. To link to it tightly you have to do things the IDL way. This \*may\* not be what you really had in mind.

- > I'd recommend to start with call\_external with small IDL wrapper
- > functions, and put off writing a linkimage/dlm thing until you know
- > the stuff will work.

## Amen to this!

- > The trick is to create the data space in the IDL wrapper and pass
- > it along to the call\_external routine, which moves the data into
- > that space.

Amen and amen. This is the number two thing that people usually do wrong. Number one, of course, is using short integers on the IDL side of the equation. :-)

Cheers,
David
David Fanning, Ph.D.
Fanning Software Consulting
E-Mail: davidf@dfanning.com
Phone: 970-221-0438, Toll-Free Book Orders: 1-888-461-0155
Coyote's Guide to IDL Programming: http://www.dfanning.com/