

---

Subject: Re: Xinteranimate, getting control back  
Posted by [philip aldis](#) on Wed, 11 Nov 1998 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Jeff Tyler wrote:

> I am writing some code to model environmental changes over a number of  
> years. The datasets can get quite large and the best way to communicate  
> the effect of changing model parameters is to provide images to the  
> user. The number of images to show users ranges from 15-100, and in the  
> future may be even larger. I want to animate this and it looks like  
> XINTERANIMAE is the best way to go.

Now, I'm not so sure. I've written a bit of code, (well quite a large bit of code) which replaces XINTERANIMATE, and my code is a great deal easier to understand and so you could manipulate it to do what ever you wanted and link it in with your current widget program, or if it's not a widget program then call from the program.

There are several advantages to my program, if you wanted to put a colour bar on the animation, or anything else, then it is very easy to do. You can check out a post I put about it titled : a replacement for xinteranimate.

But the main advantage is to do with pixmap storage space, my program only stores the minimum amount, i.e. it stores no black space, and never stores more than one copy of anything, so it would only store one colour bar in pixmaps.

Basically, I guess the fact that you would be able to change the code to exactly what you wanted, quite easily, rather than xinter.. which is written in such dense code that it is hard to understand, means that my program would be ideal.

> My problem is that I want to be able to compute a set of results, let  
> the user see the animation and then go back and compute a new set of  
> results that the user then can animate again. However, once I start  
> XINTERANIMATE then IDL wants the user's control of the program to go to  
> the widget and when the user hits the "end animation" button, the  
> program ends. I would prefer for control to go back to my program where  
> the user can change model parameters, recompute and then run a new  
> animation. Can anybody suggest how to get XINTERANIMATE to return  
> control to the main program once it has stopped, or some other solution  
> to the problem.  
>  
> thanks,  
> Jeff Tyler  
> Great Lakes Environmental Research Laboratory

As for the problem you highlight here, all you would have to do is change the event handler on my program for the quit button, so that it notified, some other program - it would be a piece of cake to do. You could change the code quite easily.

The program is currently, about to get publication permission - I have to get this before I can let others even look at it, and when that's done I'll e-mail a copy to you, with some examples of how to use it, and then I would be delighted to help you change the code to suit your particular needs.

cheers,  
Phil Aldis

--

---

Philip Aldis  
Room B803/4  
DERA Malvern                      tel: 0044 1684 897241  
St. Andrew's Road                fax: 0044 1684 894185  
WR14 3PS  
England

---

The information contained in this e-mail and any subsequent correspondence is private and is intended solely for the intended recipient(s). For those other than the intended recipient(s) any disclosure, copying, distribution, or any action taken or omitted to be taken in reliance on such information is prohibited and may be unlawful.

---

DERA disclaimer:

The views expressed above are entirely those of the writer and do not represent the views, policy or understanding of any other person or official body.

---