

---

Subject: Re: Creating a Run-Time IDL Application  
Posted by [Eric Frans](#) on Thu, 19 Nov 1998 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dick Jackson wrote:

>  
> Quick check: is there a blank ( ' ') character anywhere in your .sav  
> file's path? (I know, you're thinking "What an odd question!" :-)  
>  
> If so, you have stumbled on a bug in IDL Runtime for Windows that I  
> came across a little while back. The bug was still there in IDL 5.2b1,  
> but I was told that it was going to be in 5.2 final, and indeed it  
> seems to be fixed in 5.2b2. For now, of course, you can remove any  
> blanks in enclosing directory names, if that isn't too inconvenient.  
>  
> Hope this helps!

THANK YOU!!!!!!!!!!

That was the problem exactly. I have a folder named 'IDL Programs' and several subfolders underneath that was where I had the .sav file located. After many hours of altering my code thinking the problem was the widget coding, I tried to simply move the .sav file to a different folder altogether and everything worked fine. I didn't understand what was happening until I read your message.

Let me just reiterate Dick's point that the .sav file will not work if you have a blank \*anywhere\* in the .sav file path -- i.e. the folder under 'IDL Programs' I had the .sav file in had no spaces in it, but the program still wouldn't launch since the .sav file was still \*under\* 'IDL Programs'.

I think I'll be using underscores instead of spaces from now on!

- Eric Frans

P.S. Hopefully, David Fanning will add a step 3.5 to his page stating that the .sav file must be in a directory path with no spaces. :)