Subject: Re: Linux vs Win95
Posted by Vapuser on Mon, 30 Nov 1998 08:00:00 GMT
View Forum Message <> Reply to Message

Karsten Rodenacker <rodena@gsf.de> writes:

>
>
> The thread has turned to emacs vs idlde.
>
> I'm also using (x)emacs on unix and idlde on NT, however I prefer xemacs
> (and the development under unix). Idl under the latter behaves IMHO more
> reasonable.
>
> Still I would appreciate to get some improvements of idl.el and
> idl-shell.el e.g. the color-coding of user and inbuilt procedures and a
> key for 'widget_control,/reset&heap_gc&close,/all&retall '.
>

Are you using 'font-lock' mode, defined in the lisp file 'font-lock.el'? If you don't know about font-lock mode, it is a general minor mode that colorizes entities in a given major mode (C, C++, Fortran,IDL, Lisp, Dired,...) according to whatever is defined as syntactically significant by that major mode.

>
>
> --
> Karsten Rodenacker
> ---------- ----------:-)
> GSF - Forschungszentrum Institute of Biomathematics and Biometry
> D-85758 Oberschleissheim Postfach 11 29
> Tel: +49 (0)89 3187 3401 | FAX: ...3369 | MAILTO:rodena@gsf.de
> http://www.gsf.de/institute/ibb/Rodenacker/