

---

Subject: Re: Keyboard events in a widget  
Posted by [Ivan Zimine](#) on Thu, 04 Mar 1999 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Daniel

You can use ALL\_EVENTS keyword to WIDGET\_TEXT...

```
pro test_event, event
  EvName=tag_names(event, /structure_name)
  case EvName of
    'WIDGET_KBRD_FOCUS' : print, "Focus"
    'WIDGET_TEXT_SEL' :   print, "Selection"
    'WIDGET_TEXT_CH' :   Print, "Character input"
    'WIDGET_TEXT_DEL' :   print, "Character deleted"
  endcase
end

pro test
  w=widget_base( /COLUMN, /KBRD_FOCUS_EVENTS)
  item1 = widget_text(w, value='1', /EDITABLE, /ALL_EVENTS)
  item2 = widget_text(w, value='2', /EDITABLE, /ALL_EVENTS)
  widget_control, /REALIZE, w
  xmanager, 'test', w, /JUST_REG
end
```

Daniel SAGE wrote:

```
>
> Hi,
> How is it possible to generate an event when the user enters some characters
> in a widget_text or when the focus change of widget_text?
>
> With the small following example, I can catch only the Carriage Return key
> pro test_event, event
>   print, event
> end
> pro test
>   w=widget_base( /COLUMN, /KBRD_FOCUS_EVENTS)
>   item1 = widget_text(w, value='1', /EDITABLE)
>   item2 = widget_text(w, value='2', /EDITABLE)
>   widget_control, /REALIZE, w
>   xmanager, 'test', w, /JUST_REG
> end
>
> -----
> Daniel Sage
> EPFL - Swiss Federal Institute of Technology - http://www.epfl.ch
> BIG - Biomedical Imaging Group           - http://bigwww.epfl.ch
```

>  
> Address: EPFL, DMT/IOA, BM, CH-1015 Lausanne, Switzerland  
> Tel: +41 21 693 5189  
> Fax: +41 21 693 3701  
> Email: daniel.sage@epfl.ch  
> -----

--  
Ivan Zimine  
Dpt. of Radiology (MRI), Geneva University Hospitals  
email: ivan.zimine@physics.unige.ch  
tel. : (+41 22) 372 70 70

---