
Subject: device,decomposed=1 question
Posted by [Vapuser](#) on Fri, 12 Mar 1999 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is on a
IDL> print,!version
{ mipseb IRIX unix 5.1.1 Jul 20 1998}

Okay. I thought I understood this stuff, but now I'm not sure.

This is how I thought it worked. In decomposed color, IDL takes the number and decomposes it into three single byte quantities, the least significant is the red number, the next most significant is the green number and the most significant is the blue number. It then uses these three numbers and looks up the color in the current color table. Since this is usually the gray scale, where the color indices map to themselves, the result is the same as if you specified the color values directly, with no 'color table' mediation.

But, if you have loaded a different color table, you should see whatever color triple appears in the location given by the three 'decomposed' color numbers.

So, if you do the following

```
IDL> loadct,3 ; red temperature
IDL> tvlct,transpose( [0,255,0] ),1
IDL> plot,indgen(10),color='000100'x
```

You should see a y=x line in pure green. Right?

But I don't. I see nothing! What is wrong with my understanding?

Here's the result of an IDL> help,/device

```
Available graphics_devices: CGM HP LJ NULL PCL PRINTER PS REGIS TEK X Z
Current graphics device: X
  Server: X11.0, Silicon Graphics, Release 6300
  Display Depth, Size: 24 bits, (1280,1024)
  Visual Class: TrueColor (4)
  Bits Per RGB: 8
  Physical Color Map Entries (Used / Total): 256 / 256
  Colormap: Private, 16777216 colors. Translation table: Bypassed
  Graphics pixels: Decomposed, Dither Method: Ordered
  Write Mask: 16777215 (decimal) ffffff (hex)
```

Graphics Function: 3 (copy)

Current Font: <default>, Current TrueType Font: <default>

Default Backing Store: Pixmap.

Window Status: -----

id typ(x, y, backing store) id typ(x, y, backing store)

32: Win(640, 512, Pixmap) 0: Win(640, 512, Pixmap)

To tell you the truth, this looks more like what I always called 'direct' color, namely that you specify the colors directly without mediation of any colortable. My suspicion is made more substantial when I attempt David Fannings example from his web page on 24 bit decomposed color.

```
IDL> loadct,34
```

```
IDL> plot,indgen(10),color='00ffff'x
```

produces a yellow plot, not the purple that it should produce given the 'color table'

Perhaps this is an SGI thing?

whd

By the by, I have a vector plotter I use alot, but it's effectively a rewrite of velovect. The reason I got into the decomposed color morass is because it uses some truecolor code that I was unsure about, since I hacked it in pretty quick, and in checking it out against the 'font of all color wisdom' that is our David, I found this discrepancy.
