Subject: Re: working with very large data sets Posted by David Foster on Thu, 25 Mar 1999 08:00:00 GMT

View Forum Message <> Reply to Message

## Steve Carothers wrote:

>

- > I am working with 71 Mb data file on UNIX server that has 256 Mb RAM and 500
- > Mb of virtual memory. I'm not doing much data manipulation before I plot
- > the data, but it doesn't take much manipulation to exceed the memory
- > allocation. I understand the benefits of chunking up the data, but I would
- > really like to keep all the data together for plotting purposes. I think my
- > PV-Wave script could run properly if I can figure out how to minimize or
- > eliminate memory fragmentation. When I'm done with a variable I set it
- > equal to 0 to free up the memory. However, if I understand the manual
- > correctly, this will not free up contiguous memory, which is what I need.
- > Delstruct and delvar might help me but they can't be used inside a script,
- > only at the prompt. I have a feeling I'll be forced to chunk up the data.

## Steve -

What manipulations are you doing?! 256MB certainly seems like it should be

enough memory. Try setting the "limit" parameter. Also, you might want to

download TOP, a utility that shows you how much memory and cpu usage each

process is using...may help you trace which steps are increasing your memory usage, as the top display is updated every 5 seconds. You can get top from:

ftp.groupsys.com:/pub/top/top-3.5beta7.tar.gz

>

- > Also, is there a way to remove a set of records from an array of structures
- > if the records to delete are known without using the "where" command and
- > without creating a tempory variable in the memory?

If you mean that you would like to remove elements of your array of structures,

then you can do this simply with something like:

ToDel = [3,22,89]; Known indices to remove

Indices = lindgen(n\_elements(Array))

NewInd = SetDifference(Indices, ToDel) ; SetDifference() included

below

Array = (temporary(Array))[NewInd]

If the memory overhead for this method is too high, you might want to consider creating a linked list of structures instead of a simple array; this allows you to delete/add nodes easily, with no memory overhead.

Dave

David S. Foster Univ. of California, San Diego Brain Image Analysis Laboratory Programmer/Analyst foster@bial1.ucsd.edu Department of Psychiatry (619) 622-5892 8950 Via La Jolla Drive, Suite 2240 La Jolla, CA 92037

## SETARRAY\_UTILS.PRO [RSI] 9-04-97

Routines posted on newsgroup by RSI. SetIntersection() is much faster than Find\_Elements(), but it returns the elements themselves, not the indices. Also, it ignores duplicate elements.

Set operators. Union, Intersection, and Difference (i.e. return members of A that are not in B.)

These functions operate on arrays of positive integers, which need not be sorted. Duplicate elements are ignored, as they have no effect on the result.

The empty set is denoted by an array with the first element equal to -1.

These functions will not be efficient on sparse sets with wide ranges, as they trade memory for efficiency. The HISTOGRAM function is used, which creates arrays of size equal to the range of the ; resulting set.

```
; For example:
```

$$a = [2,4,6,8]$$

$$b = [6,1,3,2]$$

SetIntersection(a,b) = [2, 6]; Common elements

SetUnion(a,b) = [1, 2, 3, 4, 6, 8]; Elements in either set

SetDifference(a,b) = [4, 8]; Elements in A but not in B

SetIntersection(a,[3,5,7]) = -1 = Null Set

```
.....
FUNCTION SetUnion, a, b
if a[0] It 0 then return, b ;A union NULL = a
if b[0] It 0 then return, a ;B union NULL = b
return, where(histogram([a,b], OMIN = omin)) + omin; Return combined set
end
·-----
FUNCTION SetIntersection, a, b
minab = min(a, MAX=maxa) > min(b, MAX=maxb) ;Only need intersection of ranges
maxab = maxa < maxb
;If either set is empty, or their ranges don't intersect: result = NULL.
if maxab It minab or maxab It 0 then return, -1
r = where((histogram(a, MIN=minab, MAX=maxab) ne 0) and $
     (histogram(b, MIN=minab, MAX=maxab) ne 0), count)
if count eq 0 then return, -1 else return, r + minab
end
·
FUNCTION SetDifference, a, b; = a and (not b) = elements in A but not in B
mina = min(a, MAX=maxa)
minb = min(b, MAX=maxb)
if (minb gt maxa) or (maxb It mina) then return, a ;No intersection...
r = where((histogram(a, MIN=mina, MAX=maxa) ne 0) and $
     (histogram(b, MIN=mina, MAX=maxa) eq 0), count)
if count eq 0 then return, -1 else return, r + mina
end
; ------ Message from RSI to NewsGroup ------
; A somewhat belated reply to the numerous postings on finding the
common elements of vectors:
; > Given vectors of the type...
; >
; > a = [1,2,3,4,5]
; > b = [3,4,5,6,7]
: >
; > What is the most efficient way to determine which values that occur in
; > a also occur in b (i.e., the values [3,4,5] occur in both a and b).
; >
```

- ; Below appear three IDL functions that operate on sets represented by
- ; arrays of positive integers. The SetIntersection(a,b) function
- ; returns the common elements, SetUnion(a,b) returns all unique elements
- ; in both arguments, and SetDifference(a,b) returns the elements
- ; (members) in a but not in b.
- ; It is faster than previously published functions, e.g. contain() and
- ; find\_elements().
- ; Hope this helps,
- ; Research Systems, Inc.

## File Attachments

1) setarray\_utils.pro, downloaded 82 times