

---

Subject: Re: renaming idl-mode.el for GNU Emacs  
Posted by [Carsten Dominik](#) on Fri, 09 Apr 1999 07:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fireman@mcst.gsfc.nasa.gov (Gwyn Fireman) writes:

>  
> 1. I wish to be able to start a new IDL shell after exiting without  
> going back to a .pro file.

`M-x idl-shell' should do that. You can bind that to a global key  
like this

```
(define-key global-map "\C-ci" 'idl-shell)
```

which would bind it to `C-c i'.

>  
> 2. I wish that flags for lines compile or execute errors would  
> disappear with the next successful compile/execute.

I have not looked into idl-shell too much, so this will take some  
time. Its on the To Do list.

>  
> 3. I wish to be able to quickly toggle between the begin and end  
> of a block.

The next version will have functions `idlwave-beginning-of-block' and  
`idlwave-end-of-block' for this.

- Carsten

--

Carsten Dominik <dominik@strw.LeidenUniv.nl>    \\_ /  
Sterrewacht, P.O. Box 9513                    |X|       \_  
NL-2300 RA Leiden (The Netherlands)       // | \    \_ \_   \_/ \  
phone +31 (71) 527-5812; FAX +31 (71) 527-5819 \_\_\_\_|o|\_\_\_\_/ ~~ \\_\_\_/   ~~~~~

---