
Subject: Re: NOAA Satellite Active Archive IDL Imagery Display Tool
Posted by [Kelly Dean](#) on Wed, 28 Apr 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

I put this routine together to read the NOAA-15 Level 1B 10-bit files from SAA. I used it to help create this image:

<http://www.cira.colostate.edu/special/csuidl/N15HRPT3A.htm>

Warning - very computer intensive. Something I hope to improve on later.

If anyone makes any improvements, be should to let me know.

Kelly Dean
CSU/CIRA

```
=====ReadKLM1B.PRO=====
;+
; NAME:
FUNCTION ReadKLM1B, unit, ARSstr, HEADstr, LinePre, LineSuf, Image
;
; PURPOSE:
;   Read NOAA's 10-bit LAC/HRPT images
;
; Information about unpacking LAC/HRPT data can be found at:
;
;   http://www2.ncdc.noaa.gov:80/docs/podug/
;   http://www2.ncdc.noaa.gov:80/docs/klm/
;
; CALLING SEQUENCE:
;
;   OpenR, unit, filename, /GET_LUN, /SWAP_ENDIAN ! Assuming read on PC.
;
;   IF ( ReadKLM1B(unit, ARSstr, HEADstr, LinePre, LineSuf, L1BImage ) )
THEN BEGIN
;   PRINT, ' Read >', filename, '...'
;   ENDIF ELSE BEGIN
;   PRINT, ' Trouble with reading -', filename, '...'
;   ENDELSE
;
;   Close, unit
;   Free_Lun, unit
;
; INPUTS:
;   unit - file unit number
;
; OUTPUTS:
;   ARSstr - Structure - Archive Retrieval System Record
```

```

;   HEADstr - Structure - Image header information
;   LinePre - Structure - Line prefix information
;   LineSuf - Structure - Line suffix information
;   L1Bimage - imager - 3-D array with 10-bit image data from 5 channels
( channel, width, length )
;
;
; SIDE EFFECTS:
;   Works with 16-bit Level 1B files from the Satellite Active Archive
with imagery
;   from NOAA-15 ( NOAA-KLM series ) only.
;
;
; MODIFICATION HISTORY:
;
;   Developed by Kelly Dean - CIRA/Colorado State University
(dean@cira.colostate.edu)
;-
;
;
HEADstr = { KLMLevel1B,      $ ; Data Set Header record format for
NOAA-KLM AVHRR
    SiteID:' ',      $ ; Data Set Creation Site ID
    Blank0:'',      $ ; Blank
    VerNum:0,      $ ; Level 1B Format Version Number
    VerYear:0,      $ ; Level 1B Format Version Year ( ex: 1999
)
    VerJday:0,      $ ; Level 1B Format Version Day of Year (
ex: 077 )
    Reserved0:0,      $ ; Reserved
    Reserved1:0,      $ ; Reserved
    NumHeadRec:0,      $ ; Number of Header Records
    Fill0:INTarr(3),      $ ; Zero filled
    dataset:STRING(' ',FORMAT='(A42)'), $ ; 42 character dataset name
    ProcID:' ',      $ ; Processing Block ID
    SatID:0,      $ ; Satellite ID ( NOAA-15: 4 )
    InstrID:0,      $ ; Instrument ID
    DataType:0,      $ ; Data Type Code
    TIPSrc:0,      $ ; TIP Source Code
    StartDay:0L,      $ ; Start of Data Set Day ( since 1 Jan
1950 )
    StartYear:0,      $ ; Start of Data Set Year ( ex: 1999 )
    StartJDay:0,      $ ; Start of Data Set Julian Day ( ex: 079
)
    StartTime:0L,      $ ; Start of Data Set Time UTC (
millisecond )
    EndDay:0L,      $ ; End of Data Set Day ( since 1 Jan 1950
)
)

```

EndYear:0, \$; End of Data Set Year (ex: 1999)
 EndJDay:0, \$; End of Data Set Julian Day (ex: 079)
 EndTime:0L, \$; End of Data Set Time UTC (millisecond
)
 CYear:0, \$; Year of Last CPIDS Update (ex: 1999)
 CJDay:0, \$; Day of Year of Last CPIDS Update (ex:
 079)
 Fill1:INTarr(4), \$; Zero filled
 InstrStatus1:0L, \$; Instrument Status (in bits)
 Fill2:0, \$; Zero filled
 StatusChange:0, \$; Record Number of Status Change
 InstrStatus2:0L, \$; Second Instrument Status
 NumRec:0, \$; Count of Data Recods in this Data Set
 NumAnc:0, \$; Count of Calib and Earth Loc Scan lines
 NumMiss:0, \$; Count of missing scan lines
 NumGaps:0, \$; Count of Data Gaps in this Data Set
 NumFrames:0, \$; Count of Data Frames w/o Frame Sync Word Errors
 TIPErr:0, \$; Count of PACS Detected TIP Parity Error
 AuxErr:0, \$; Sum of All Auxiliary Sync Errors Detected in the
 Input Data
 TimeErr:0, \$; Time Sequence Error
 TimeErrCode:0, \$; Time Sequence Error Code (in bits)
 ClockUpdate:0, \$; SOCC Clock Update Indicator
 EarthLocErr:0, \$; Earth Location Error Indicator
 EarthLocErrCode:0, \$; Earth Location Error Indicator Code (in bits)
 PACSstatus:0, \$; PACS Status Bit Field (in bits)
 PACSSource:0, \$; PACS Data Source (1:Glimore, 2:Wallops, 3:SOCC
)
 Fill3:0L, \$; Zero Fill
 Reserved2:' ', \$; Reserved
 Reserved3:' ', \$; Reserved
 Fill4:INTarr(5), \$; Zero filled
 RampField:0, \$; Ramp/Auto Calibration Indicators Bit Field (in
 bits)
 SolarChanYear:0, \$; Year of Most Recent Solar Channel Calibration (ex: 1999)
 SolarChanJDay:0, \$; Day of Year of Most Recent Solar Channel
 Calibration (ex: 079)
 AlgorID1:0, \$; Primary Calibration Algorithm
 AlgorIDOpt1:0, \$; Primary Calibration Algorithm Options (in bits
)
 AlgorID2:0, \$; Second Calibration Algorithm
 AlgorIDOpt2:0, \$; Second Calibration Algorithm Options (in bits)

 IR1coef1:0, \$; IR1 Target Temperature Conversion Coefficient 1
 (* 10^2)
 IR1coef2:0, \$; IR1 Target Temperature Conversion Coefficient 2
 (* 10^5)

IR1coef3:0, (* 10^8)	\$; IR1 Target Temperature Conversion Coefficient 3
IR1coef4:0, (* 10^8)	\$; IR1 Target Temperature Conversion Coefficient 4
IR1coef5:0, (* 10^8)	\$; IR1 Target Temperature Conversion Coefficient 5
IR1coef6:0, (* 10^8)	\$; IR1 Target Temperature Conversion Coefficient 6
IR2coef1:0, (* 10^2)	\$; IR2 Target Temperature Conversion Coefficient 1
IR2coef2:0, (* 10^5)	\$; IR2 Target Temperature Conversion Coefficient 2
IR2coef3:0, (* 10^8)	\$; IR2 Target Temperature Conversion Coefficient 3
IR2coef4:0, (* 10^8)	\$; IR2 Target Temperature Conversion Coefficient 4
IR2coef5:0, (* 10^8)	\$; IR2 Target Temperature Conversion Coefficient 5
IR2coef6:0, (* 10^8)	\$; IR2 Target Temperature Conversion Coefficient 6
IR3coef1:0, (* 10^2)	\$; IR3 Target Temperature Conversion Coefficient 1
IR3coef2:0, (* 10^5)	\$; IR3 Target Temperature Conversion Coefficient 2
IR3coef3:0, (* 10^8)	\$; IR3 Target Temperature Conversion Coefficient 3
IR3coef4:0, (* 10^8)	\$; IR3 Target Temperature Conversion Coefficient 4
IR3coef5:0, (* 10^8)	\$; IR3 Target Temperature Conversion Coefficient 5
IR3coef6:0, (* 10^8)	\$; IR3 Target Temperature Conversion Coefficient 6
IR4coef1:0, (* 10^2)	\$; IR4 Target Temperature Conversion Coefficient 1
IR4coef2:0, (* 10^5)	\$; IR4 Target Temperature Conversion Coefficient 2
IR4coef3:0, (* 10^8)	\$; IR4 Target Temperature Conversion Coefficient 3
IR4coef4:0, (* 10^8)	\$; IR4 Target Temperature Conversion Coefficient 4
IR4coef5:0, (* 10^8)	\$; IR4 Target Temperature Conversion Coefficient 5
IR4coef6:0, (* 10^8)	\$; IR4 Target Temperature Conversion Coefficient 6
Fill5:Lonarr(2),	\$; Fill
Ch1Irrad:0L, (* 10^1)	\$; Channel 1 Solar Filter Irradiance in Wavelength
Ch1Width:0L,	\$; Channel 1 Equivalent Filter Width in Wavelength

```

( * 10^3 )
  Ch2Irrad:0L,      $ ; Channel 2 Solar Filter Irradiance in Wavelength
( * 10^1 )
  Ch2Width:0L,      $ ; Channel 2 Equivalent Filter Width in Wavelength
( * 10^3 )
  Ch3Irrad:0L,      $ ; Channel 3a Solar Filter Irradiance in Wavelength
( * 10^1 )
  Ch3Width:0L,      $ ; Channel 3a Equivalent Filter Width in Wavelength
( * 10^3 )
  Ch3WavNum:0L,      $ ; Channel 3b Central Wavenumber ( * 10^2 )
    Ch3Const1:0L,      $ ; Channel 3b Constant 1 ( * 10^5 )
    Ch3Const2:0L,      $ ; Channel 3b Constant 2 ( * 10^6 )
  Ch4WavNum:0L,      $ ; Channel 4 Central Wavenumber ( * 10^2 )
    Ch4Const1:0L,      $ ; Channel 4 Constant 1 ( * 10^5 )
    Ch4Const2:0L,      $ ; Channel 4 Constant 2 ( * 10^6 )
  Ch5WavNum:0L,      $ ; Channel 5 Central Wavenumber ( * 10^2 )
    Ch5Const1:0L,      $ ; Channel 5 Constant 1 ( * 10^5 )
    Ch5Const2:0L,      $ ; Channel 5 Constant 2 ( * 10^6 )
  Fill6:LONarr(3),    $ ; Fill
  Ellipsoid:'      ', $ ; Reference Ellipsoid Model ID
  EarthNadir:0,      $ ; Nadir Earth Location Tolerance in Km ( * 10^1 )
  EarthLoc:0,        $ ; Earth Location Bit Field ( in bits )
  Fill7:0,           $ ; Fill
  RollAttErr:0,      $ ; Constant Roll Attitude Error in Degrees ( * 10^3
)
  PitchAttErr:0,     $ ; Constant Pitch Attitude Error in Degrees ( *
10^3 )
  YawAttErr:0,       $ ; Constant Yaw Attitude Error in Degree ( * 10^3 )

  EpochYear:0,       $ ; Epoch Year for Orbit Vector
  EpochJDay:0,       $ ; Epoch Day of Year for Orbit Vector
  EpochTime:0L,      $ ; Epoch UTC time of day in milliseconds for Orbit
Vector
  SemiAxis:0L,       $ ; Semi-Major Axis (km) ( * 10^5 )
  Eccen:0L,          $ ; Eccentricity ( * 10^8 )
  Incl:0L,           $ ; Inclination ( degree ) ( * 10^5 )
  ArgPer:0L,         $ ; Argument of Perigee ( degree ) ( * 10^5 )
  AscNode:0L,        $ ; Right Ascension of the Ascending Node ( degree )
( * 10^5 )
  Mean:0L,           $ ; Mean Anomaly ( degree ) ( * 10^5 )
  PosVecX:0L,        $ ; Position Vector X Component (km) ( * 10^5 )
  PosVecY:0L,        $ ; Position Vector Y Component (km) ( * 10^5 )
  PosVecZ:0L,        $ ; Position Vector Z Component (km) ( * 10^5 )
  VecXdot:0L,        $ ; Velocity X-dot Component in (km/sec) ( * 10^8 )
  VecYdot:0L,        $ ; Velocity Y-dot Component in (km/sec) ( * 10^8 )
  VecZdot:0L,        $ ; Velocity Z-dot Component in (km/sec) ( * 10^8 )
  EarthSunDist:0L,   $ ; Earth/Sun Distance ratio ( * 10^6 )
  Fill8:LONarr(4),    $ ; Fill

```

PatchTempCoef:INTarr(6), \$; Patch Temperature Conversion
 Coefficient
 PatchTempExtCoef:INTarr(6), \$; Patch Temperature Extended
 Conversion Coefficient
 PatchPowCoef:INTarr(6), \$; Patch Power Conversion Coefficient
 RadTempCoef:INTarr(6), \$; Radiator Temperature Conversion
 Coefficient
 BBTempCoef1:INTarr(6), \$; Blackbody Temperature 1 Conversion
 Coefficient
 BBTempCoef2:INTarr(6), \$; Blackbody Temperature 2 Conversion
 Coefficient
 BBTempCoef3:INTarr(6), \$; Blackbody Temperature 3 Conversion
 Coefficient
 BBTempCoef4:INTarr(6), \$; Blackbody Temperature 4 Conversion
 Coefficient
 ElectCurrCoef:INTarr(6), \$; Electronics Current Conversion
 Coefficient
 MotorCurrCoef:INTarr(6), \$; Motor Current Conversion
 Coefficient
 EarthShieldCoef:INTarr(6), \$; Earth Shield Position Conversion
 Coefficient
 ElecTempCoef:INTarr(6), \$; Electronics Temperature Conversion
 Coefficient
 CoolHouseCoef:INTarr(6), \$; Cooler Housing Temperature
 Conversion Coefficient
 BaseTempCoef:INTarr(6), \$; Baseplate Temperature Conversion
 Coefficient
 MotorHouseCoef:INTarr(6), \$; Motor Housing Temperature
 Conversion Coef
 ADTempCoef:INTarr(6), \$; A/D Converter Temperature
 Conversion Coef
 Det4VCoef:INTarr(6), \$; Detector #4 Bias Voltage Conversion
 Coefficient
 Det5VCoef:INTarr(6), \$; Detector #5 Bias Voltage Conversion
 Coefficient
 BB3bView:INTarr(6), \$; Channel 3b Blackbody View
 Conversion Coefficient
 BB4View:INTarr(6), \$; Channel 4 Blackbody View Conversion
 Coefficient
 BB5View:INTarr(6), \$; Channel 5 Blackbody View Conversion
 Coefficient
 RefVCoef:INTarr(6) } ; Reference Voltage Conversion
 Coefficient

 ARSstr = { ArchiveRetrievalSystem, \$; Archive Retrieval System
 Record
 Cost:' ', \$; Cost Number
 SAA:' ', \$; SAA Number

```

    CYear:' ',          $ ; Order Creation Year ( ex:
1999 )
    CDOY:' ',          $ ; Order Creation Day of Year
( ex: 072 )
    PSite:' ',        $ ; Processing Site Code (
A:SAA, S: NCDC/Suitland, N: NCDC/Asheville )
    PSoft:' ',        $ ; Processing Software ID
    Name:STRING(' ',FORMAT='(A42)'), $ ; Date Set Name
    Blank0:' ',       $ ; Blank
    SFlag:' ',        $ ; Select Flag ( T: Total S:
Selective )
    BLat:' ',         $ ; Beginning Latitude
    ELat:' ',         $ ; Ending Latitude
    BLon:' ',         $ ; Beginning Longitude
    ELon:' ',         $ ; Ending Longitude
    SHour:' ',        $ ; Starting Hour (UTC)
    SMinute:' ',      $ ; Starting Minute
    Duration:' ',     $ ; Number of Minutes
    AppFlag:' ',      $ ; Appended Data
    Channel:STRING(' ',FORMAT='(A20)'), $ ; Channel Select Flag
    Blank1:STRING(' ',FORMAT='(A29)'), $ ; Blank
    ADFlag:' ',       $ ; Ascend/Descend Flag ( A:
Ascending, D:Descending, B:Both )
    BegLat:' ',       $ ; Beginning Latitude
    EndLat:' ',       $ ; Ending Latitude
    BegLon:' ',       $ ; Beginning Longitude
    EndLon:' ',       $ ; Ending Longitude
    Format:STRING(' ',FORMAT='(A20)'),$ ; Data Format
    RecSize:' ',      $ ; Size of record (octets)
    NumRec:' ',       $ ; Number of Records,
including ARS and Data Set Header Records
    Padded:BYTarr(319)    } ; Padding
;
; Create header structure of data record
;
Info = { ScanLineInfo, $ ; Scan Line Information
    Num:0,          $ ; Scan Line Number
    Year:0,         $ ; Scan Line Year ( ex: 1999 )
    JDay:0,         $ ; Scan Line Day of Year ( ex: 079 )
    ClockDelta:0,   $ ; Satellite CLock Drift Delta ( milliseconds )
    Time:0L,        $ ; Scan Line UTC Time of Day in ( millisecond )
    Bit:0,          $ ; Scan Line bit field ( Channel 3 select bit 1 )
    Fill0:INTarr(5) } ; Zero Fill

indicators = { QualityIndicators, $ ; Quality Indicators
    BitField:0L,    $ ; Bit Field ( ( in bits )
    Scan:0L,        $ ; Scan Line Quality Flags ( in bit )
    Calib:INTarr(3), $ ; Calibration Quality Flags

```

```

    BitErr:0,      $ ; Count of Bit Error in Frame Sync
    Fill1:LONarr(2) } ; Zero Fill

```

```

VSCal = { VisibleCalibration, $ ; Visible Calibration
    Slope1:0L,      $ ; Slope 1 ( * 10^7 )
    Intercept1:0L,   $ ; Intercept 1 ( * 10^6 )
    Slope2:0L,      $ ; Slope 2 ( * 10^7 )
    Intercept2:0L,   $ ; Intercept 2 ( * 10^6 )
    Intersection:0L  } ; Intersection

```

```

IRCal = { InfraredCalibration, $ ; Infrared Calibration
    Coef1:0L,       $ ; Coefficient 1 ( * 10^6 )
    Coef2:0L,       $ ; Coefficient 2 ( * 10^6 )
    Coef3:0L        } ; Coefficient 3 ( * 10^6 )

```

```

Calib = { CalibrationCoefficient, $ ; Calibration Coefficients
    OperCh1:VSCal,   $ ; Visible Operational Calibration
    TestCh1:VSCal,   $ ; Visible Test Calibration
    PrelCh1:VSCal,   $ ; Visible Prelaunch Calibration
    OperCh2:VSCal,   $ ; Visible Operational Calibration
    TestCh2:VSCal,   $ ; Visible Test Calibration
    PrelCh2:VSCal,   $ ; Visible Prelaunch Calibration
    OperCh3a:VSCal,  $ ; Visible Operational Calibration
    TestCh3a:VSCal,  $ ; Visible Test Calibration
    PrelCh3a:VSCal,  $ ; Visible Prelaunch Calibration
    OperCh3b:IRCal,  $ ; Infrared Operational Calibration
    TestCh3b:IRCal,  $ ; Infrared Test Calibration
    OperCh4:IRCal,   $ ; Infrared Operational Calibration
    TestCh4:IRCal,   $ ; Infrared Test Calibration
    OperCh5:IRCal,   $ ; Infrared Operational Calibration
    TestCh5:IRCal,   $ ; Infrared Test Calibration
    Fill3:LONarr(3)  } ; Zero Fill

```

```

LatLon = REPLICATE({EarthLoc, latitude:0L,longitude:0L},51)

```

```

Angle = REPLICATE({ Angular, $ ; Angular Relationship
    Solar:0, $ ; Solar Zenith Angle ( * 10^2 )
    Sat:0,  $ ; Satellite Zenith Angle ( * 10^2 )
    Az:0  },$ ; Relative Azimuth Angle ( * 10^2 )
    51      ) ; Replicate this structure 51 times

```

```

nav = { Navigation,      $ ; Navigation
    StatusBit:0L,        $ ; NStatus Bit Field ( in Bit )
    TimeTIPAng:0L,       $ ; Time Associated with TIP Euler Angle (
seconds )
    TIPAngle:INTarr(3),  $ ; TIP Euler Angles, Roll, Pitch Yaw ( degree
) ( * 10^3 )

```

```

    AltRef:0,      $ ; Spacecraft Altitude above Reference
Ellipsoid (km) ( * 10^1)
    Angle:Angle,   $ ; Angular Relationships - Structure
    Fill4:INTarr(3), $ ; Zero Fill
    EarthLoc:LatLon, $ ; Earth Location - Structure
    Fill5:LONarr(2)  } ; Zero Fill
;
Telemetry = { Telemetry, $ ; HRPT Minor Frame Telemetry
    FrameSync:INTarr(6), $ ; Frame Sync
    ID:INTarr(2),      $ ; ID ( in bit )
    TimeCode:INTarr(4), $ ; Time Code ( in bit )
    Telemetry:INTarr(10), $ ; Telemetry ( in bit )
    BackScan:INTarr(30), $ ; Back Scan
    SpaceData:INTarr(50), $ ; Space Data
    SyncDelta:0,      $ ; Sync Delta ( in bit )
    Fill6:0          } ; Zero Fill
;
LACpre = { LACprefix,      $ ; Format of LAC/HRPT data record NOAA-KLM

    Scan:info,      $ ; Scan Line Information - structure
    Quality:Indicators, $ ; Quality Indicators - structure
    Calib:Calib,     $ ; Calibration Coefficients - structure
    Nav:Nav,         $ ; Navigation - structure
    Telemetry:Telemetry } ; HRPT Minor Frame Telemetry
;
; Create tail structure of data record
;
LACsuf = { LACsuffix,      $ ;
    Fill1:LONarr(2),      $ ; Zero fill
    BadBit1:0,           $ ; Invalid Word Bit Flags ( in bits )
    BData:0,             $ ; AVHRR Digital B Data
    Fill2:LONarr(3),      $ ; Zero fill
    BadBit2:0L,          $ ; Invalid Word Bit Flags ( in bits )
    InstrTemp:BYTarr(22), $ ; Instrument Temperatures
    Fill3:INTarr(3),      $ ; Zero fill
    CLAVR:0L,            $ ; Clouds from AVHRR
    Reserved:0L,          $ ; Reserved
    CCM:INTarr(256),      $ ; Clear/Cloudy/Mixed
    Fill4:LONarr(94)     } ; Zero fill
;
; Read Record 1
; Archive Retrieval System Record
; Users can verify which selection criteria were used by checking the ARS
Header record.
;
ReadU, unit, ARSstr
;
; Read Record 2

```

```

; The first record contains the Data Set Header. The values need to be
; swapped. The data files are generated
; on an IBM.
;
ReadU, unit, HEADstr
;
;Determine the number of channels
;
IF ( ARSstr.channel EQ 'YYYYYYYYYYYYYYYYYYYY' ) THEN BEGIN
  nchan = 5
ENDIF ELSE BEGIN
  PRINT, ' What do I do here >', ARSstr.channel
ENDELSE
;
; Determine number of elements ( always 2048 ) and lines
;
nx = 2048
ny = LONG(HEADstr.NumRec)
;
; Create structure to be used to read the file's data section
;
DataRecords =
  REPLICATE({Inhead:LACpre,video:LONarr(3414),Intail:LACsuf},n y)
;
; Skip the the first three records and jump to starting point of data
;
POINT_LUN, unit, LONG(ARSstr.RecSize) + 512L
NumRec = LONG(ARSstr.NumRec)
ReadU, unit, DataRecords
;
; Reverse last dimension of line documentation
;
LinePre  = DataRecords((ny-1)-INDGEN(ny)).LnHead
LineSuf  = DataRecords((ny-1)-INDGEN(ny)).LnTail
;
; Unpack 10-bit values
;
dim1  = 3414
pack  = INTarr(3*dim1*ny)
index1 = LINDGEN(dim1-1) * 3
index2 = LINDGEN(dim1-1) * 3 + 1
index3 = LINDGEN(dim1) * 3 + 2
Print, ' Unpacking 10 bit image data...'
ii = 0
FOR ii = 0, NY - 1 DO BEGIN
  video = REFORM(DataRecords(ii).video, dim1)
  pack(index3) = FIX(video AND '3FF'X)
  pack(index2) = FIX(ISHFT(video(0:3412),-10) AND '3FF'X)

```

```

pack(index1) = FIX(ISHFT(video(0:3412),-20) AND '3FF'X)
index1 = index1 + ( 3 * dim1 ) - 2
index2 = index2 + ( 3 * dim1 ) - 2
index3 = index3 + ( 3 * dim1 ) - 2
ENDFOR
Print, ' Trim array to new size...',nchan * nx * ny
trim    = LONG(nchan * nx * ny) - 1L
TrimPack = pack(0:trim)
image    = REFORM(TrimPack,nchan,nx,ny)
;
;
;
; Return with status.
;
status = 1

RETURN, status
END ; ReadKLM1B

```
