
Subject: Re: widget_list silliness

Posted by [J.D. Smith](#) on Thu, 10 Jun 1999 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

"J.D. Smith" wrote:

>
> Can a few people try:
>
> IDL> b=widget_base()
> IDL> l=widget_list(b,xsize=20,ysize=10,value=")
> IDL> widget_control,b,/realize
>
> vs.
>
> IDL> b=widget_base()
> IDL> l=widget_list(b,xsize=20,ysize=10)
> IDL> widget_control,b,/realize
> IDL> widget_control,l,set_value="
>
> Under linux 5.2 I get a small list with a tiny selectable entry for the
> first method, and a regular sized (10 regular text columns high) list
> with a tiny entry for the second. I'm not sure why this entry is so
> tiny, but it sure makes things problematic when I fill the list in.
> This is new to 5.2 for me.

Here's a similar issue with widget_control and multiple select lists.

```
IDL> list=strcmp(bindgen(12)+1,2)+string(byte(randomu(sd,20,12)* 26+97))  
IDL> b=widget_base()  
IDL> l=widget_list(b,value=list,ysize=4,/MULTIPLE)  
IDL> widget_control, b,/REALIZE
```

then

```
IDL> widget_control, l, set_list_select=indgen(12),set_list_top=6
```

vs.

```
IDL> widget_control, l, set_list_select=indgen(12)  
IDL> widget_control, l, set_list_top=6
```

One works, the other does not, under Linux.

JD

--

J.D. Smith

|*| WORK: (607) 255-5842

Cornell University Dept. of Astronomy |*| (607) 255-6263
304 Space Sciences Bldg. |*| FAX: (607) 255-5875
Ithaca, NY 14853 |*|
