
Subject: Re: widget_list silliness
Posted by [mgs](#) on Thu, 10 Jun 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article <375EB38B.EF2494@astrosun.tn.cornell.edu>, "J.D. Smith"
<jdsmith@astrosun.tn.cornell.edu> wrote:

```
> Can a few people try:
>
>
> IDL> b=widget_base()
> IDL> l=widget_list(b,xsize=20,ysize=10,value=")
> IDL> widget_control,b,/realize
>
> vs.
>
> IDL> b=widget_base()
> IDL> l=widget_list(b,xsize=20,ysize=10)
> IDL> widget_control,b,/realize
> IDL> widget_control,l,set_value="
>
>
> Under linux 5.2 I get a small list with a tiny selectable entry for the
> first method, and a regular sized (10 regular text columns high) list
> with a tiny entry for the second. I'm not sure why this entry is so
> tiny, but it sure makes things problematic when I fill the list in.
> This is new to 5.2 for me.
```

Both hierarchies are identical on MacOS with room for 10 lines and 20
characters per lines.

Help, !Version, /Str

```
** Structure !VERSION, 5 tags, length=40:
  ARCH      STRING  'PowerMac'
  OS        STRING  'MacOS'
  OS_FAMILY  STRING  'MacOS'
  RELEASE    STRING  '5.2'
  BUILD_DATE STRING  'Oct 30 1998'
```

--

Mike Schienle	Interactive Visuals, Inc.
mgs@ivsoftware.com	Remote Sensing and Image Processing
http://www.ivsoftware.com/	Analysis and Application Development
