
Subject: Re: unix setenv help

Posted by [davidf](#) on Thu, 24 Jun 1999 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Grady Daub (gadZOOKS8371@garnet.acns.fsuMMER.edu) writes:

> I'm trying to get the path that IDL searches to include the directory where I keep
> my personal IDL libraries. The IDL manuals say to write a program that sets the
> !path variable and then, use SETENV to set "idl_startup" to the name of the IDL
> program just written for changing !path. The problem is, the !path changer file
> isn't run
>
> Like this
>
> 1.pico .cshrc
> 2.add "setenv idl_startup <name of IDL program to execute at start-up>"
> 3.create IDL program to execute.
>
> Am I missing something?

I believe IDL_STARTUP should be in uppercase letters.

I wouldn't put too much faith in the CASE of instructions in the IDL documentation. They don't seem to be terribly consistent. Better to do what you know is correct. :-)

Cheers,

David

P.S. Make that file name lowercase, though. :-)

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155
