Subject: Re: For which versions of RH Linux does IDL 4.01b work? Posted by Liam Gumley on Tue, 22 Jun 1999 07:00:00 GMT

View Forum Message <> Reply to Message

Lev Tarasoff wrote:

- > I've got a linux version of IDL 4.01b that was set up
- > on RedHat Linux 4.0. However, I have just upgraded my
- > PC workstation to Redhat 6.0 (2.2.5-15 kernel) and I
- > can't even get the IDL install routine to work. Is
- > there any way to make it work on this version of RH linux?
- > If not, what is the most recent version of RH linux that
- > could be made to work with IDL 4.01b?

If you want to stick with Redhat 6.0, you'll need to upgrade to IDL 5.2, which you can download from ftp://ftp.rsinc.com/pub/idl/unix/

To get IDL 5.2 to work under Redhat 6.0, a patch is required. The instructions below were posted by Olivier Archer (mailto:oarcher@ifremer.fr), and have been used here successfully for two different Linux systems.

```
---start quote---
```

Here's another way to get around the problem. The goal is to define the setfpucw function

```
__setpucw.c:
void setfpucw(void)
{
}
void ___libc_init(void)
{
}
void _dl_symbol_value()
{
}
Compile it:
#gcc -fPIC -c __setfpucw.c
#ld -shared -o setfpucw.so -assert pure-text setfpucw.o
define the LD_PRELOAD environnement variable before launching
idl:
#export LD_PRELOAD=/?/?/__setfpucw.so
---end quote---
```

Cheers, Liam.

Liam E. Gumley Space Science and Engineering Center, UW-Madison http://cimss.ssec.wisc.edu/~gumley