
Subject: Patch #2 to userlib/deriv.pro to add MAX_VALUE keyword

Posted by [rfinch](#) on Tue, 04 Jan 1994 17:56:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Second try. First attempt didn't work for certain locations of where the max values were. Maybe this will ;-)

This patch is for the original deriv.pro, NOT the previous patch.

```
*** deriv.pro 1994/01/04 17:46:55
```

```
--- deriv.pro~ 1993/12/24 15:29:48
```

```
*****
```

```
*** 1,6 ****
```

```
! ; $Id: deriv.pro,v 1.0 1993/12/24 15:29:48 rfinch Exp $
```

```
! Function Deriv, X, Y
```

```
 ;+
```

```
 ; NAME:
```

```
 ; DERIV
```

```
--- 1,6 ----
```

```
! ; $Id: deriv.pro,v 1.0.1.6 1994/01/04 17:46:55 rfinch Exp $
```

```
! Function Deriv, X, Y, max_value=max_value
```

```
 ;+
```

```
 ; NAME:
```

```
 ; DERIV
```

```
*****
```

```
*** 13,20 ****
```

```
 ; Numerical analysis.
```

```
 ;
```

```
 ; CALLING SEQUENCE:
```

```
! ; Dy = Deriv(Y) ;Dy(i)/di, point spacing = 1.
```

```
! ; Dy = Deriv(X, Y) ;Dy/Dx, unequal point spacing.
```

```
 ;
```

```
 ; INPUTS:
```

```
 ; Y: Variable to be differentiated.
```

```
--- 13,20 ----
```

```
 ; Numerical analysis.
```

```
 ;
```

```
 ; CALLING SEQUENCE:
```

```
! ; Dy = Deriv(Y, max_value=mv) ;Dy(i)/di, point spacing = 1.
```

```
! ; Dy = Deriv(X, Y, max_value=mv) ;Dy/Dx, unequal point spacing.
```

```
 ;
```

```
 ; INPUTS:
```

```
 ; Y: Variable to be differentiated.
```

```
*****
```

```
*** 22,28 ****
```

```
 ; spacing for Y (i.e., X(i) = i) is assumed.
```

```

;
; OPTIONAL INPUT PARAMETERS:
!; As above.
;
; OUTPUTS:
; Returns the derivative.
--- 22,30 ----
; spacing for Y (i.e., X(i) = i) is assumed.
;
; OPTIONAL INPUT PARAMETERS:
!; max_value: Maximum value; original values greater than this and
!; their neighbors will be restored to the first large value
!; found, not the first derivative.
;
; OUTPUTS:
; Returns the derivative.
*****
*** 49,63 ****
--- 51,88 ----
n = n_elements(x)
if n lt 3 then message, 'Parameters must have at least 3 points'

+ count=0
if n_params(0) ge 2 then begin
if n ne n_elements(y) then message, 'Vectors must have same size'
+ IF KEYWORD_SET(max_value) THEN BEGIN
+ mv_ndx = where(y GT max_value, count)
+ IF count GT 0 THEN BEGIN
+ big_value = y(mv_ndx(0))
+ mv_ndx=[mv_ndx-1, mv_ndx+1]
+ mv_ndx = mv_ndx(where(mv_ndx GT 0 AND mv_ndx LT n))
+ IF y(2) GT max_value THEN mv_ndx = [mv_ndx, 0]
+ IF y(n-3) GT max_value THEN mv_ndx = [mv_ndx, n-1]
+ ENDIF
+ ENDIF
d = float(shift(y,-1) - shift(y,1))/(shift(x,-1) - shift(x,1))
d(0) = (-3.0*y(0) + 4.0*y(1) - y(2))/(x(2)-x(0))
d(n-1) = (3.*y(n-1) - 4.*y(n-2) + y(n-3))/(x(n-1)-x(n-3))
+ IF count GT 0 THEN d(mv_ndx) = big_value
end else begin
+ IF KEYWORD_SET(max_value) THEN BEGIN
+ mv_ndx = where(x GT max_value, count)
+ IF count GT 0 THEN BEGIN
+ big_value = x(mv_ndx(0))
+ mv_ndx=[mv_ndx-1, mv_ndx+1]
+ mv_ndx = mv_ndx(where(mv_ndx GT 0 AND mv_ndx LT n))
+ IF x(2) GT max_value THEN mv_ndx = [mv_ndx, 0]
+ IF x(n-3) GT max_value THEN mv_ndx = [mv_ndx, n-1]

```

```
+     ENDIF
+     ENDIF
  d = (shift(x,-1) - shift(x,1))/2.
  d(0) = (-3.0*x(0) + 4.0*x(1) - x(2))/2.
  d(n-1) = (3.*x(n-1) - 4.*x(n-2) + x(n-3))/2.
+     IF count GT 0 THEN d(mv_ndx) = big_value
  endelse
  return, d
end
--
```

Ralph Finch 916-653-8268 voice

rfinch@venice.water.ca.gov 916-653-6077 fax

Any opinions expressed are my own; they do not represent the DWR
