
Subject: Re: Concatenate elements of string array
Posted by [kluegel](#) on Tue, 10 Aug 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article <7oo5ds\$c9c@post.gsfc.nasa.gov>,
fireman@mcst.gsfc.nasa.gov (Gwyn Fireman) wrote:

```
> IDL> string_array=['one ','string ','split ','into ','many ','array  
elements']  
> IDL> help,string_array & print,string_array  
> STRING_ARRAY  STRING  = Array[6]  
> one string split into many array elements  
> IDL> byte_array=byte(string_array)  
> IDL> byte_array=reform(byte_array,n_elements(byte_array))  
> IDL> byte_array=byte_array[where(byte_array ne 0)]  
> IDL> one_string=string(byte_array)  
> IDL> help,one_string & print,one_string  
> ONE_STRING    STRING  = 'one string split into many array  
elements'  
> one string split into many array elements
```

Clever. Reminiscent of APL.

Playing with your approach, I see the `BYTE(string_array)` produces a 2D array where one dimension is the number of characters in the longest string of the original 1D array. So a nasty case would be an array of strings where one string was very long and all the others were short. This would make the intermediate 2D array very big.

Another limitation is that we must make a rule that no strings may contain any nul characters.

Something tells me this is all the better that can be done with array-based approaches. But just in case... Any other ideas out there?

-- Tom Kluegel

Sent via Deja.com <http://www.deja.com/>
Share what you know. Learn what you don't.
