
Subject: Common trouble

Posted by [Kristian Kjaer](#) on Wed, 18 Aug 1999 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Q1: How do you delete a common block (other than by exiting IDL)?

Q3: Should commons be avoided altogether in IDL ?

Q2: Why does this not work (got the same with IDL 5.1 on linux):

IDL Version 5.0.3 (Win32 x86). Research Systems, Inc.

For basic information, enter "IDLInfo" at the IDL> prompt.

;;;;; (No startup file being run here!)

IDL> .r testcomm

```
common mycomblock,p,q,r
      ^
```

% P is already defined with a conflicting definition.

At: c:\tasclib.idl\special\testcomm.pro, Line 2

```
common mycomblock,p,q,r
      ^
```

% Q is already defined with a conflicting definition.

At: c:\tasclib.idl\special\testcomm.pro, Line 2

```
common mycomblock,p,q,r
      ^
```

% R is already defined with a conflicting definition.

At: c:\tasclib.idl\special\testcomm.pro, Line 2

% 3 Compilation errors in module TESTCOMM.

```
; begin code -----
pro testcomm,p,q,r
common mycomblock,p,q,r
return
end
; end code -----
```

Thanks, Kristian.
