

---

Subject: Are pointers faster in structs ?

Posted by [Richard Tyc](#) on Wed, 25 Aug 1999 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I use a large structure for holding all data in the main widget's user value.

eg

```
sState = { btndown: 0b, $  
          cannEndSel: 0b,$  
          DataDim: DataDim, $  
          cube: TEMPORARY(cube) }
```

cube could be large , say bytarr(512,512,20) Now when the user wants to load a differnet data set, I guess I have the choice of doing something like:

```
sState(cube = 0 ; Free memory to cube ?
```

```
newcube = Getnewdata()
```

```
sState(cube = TEMPORARY(newcube)
```

Is this any faster/slower or better/worse than using pointers in the structure ?

What if I need to initialize the elements of the structure before I have the size of data ?

I need to define sState first without knowing the size of cube. Could I do something like :

```
cubePtr = PTR_NEW(/ALLOCATE_HEAP)  
sState = { btndown: 0b, $  
          cannEndSel: 0b,$  
          DataDim: DataDim, $  
          cubePtr: cubePtr }
```

Then later in code, knowing cube :

```
cube = bytarr(512,512,20)  
sState(cubePtr = PTR_NEW(cube, /NO_COPY)
```

Is this syntax correct ? Would this be moe efficient then storing cube directly in sState ?

Thanks in Advance

Rich

## File Attachments

1) [richt.vcf](#), downloaded 56 times

---