
Subject: Re: newbie question / concatenation of arrays of nested structure

Posted by [davidf](#) on Wed, 08 Sep 1999 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thomas Launey (t_launey@brain.riken.go.jp) writes:

```
> This question has probably been already posted many time.
> how can I concatenate 2 arrays of anonymous nested structures?
> In other word, try to concatenate the two arrays below
>
> first=replicate({a:0,b:'name',c:{d:0,e:0}},5)
> second=replicate({a:0,b:'name',c:{d:0,e:0}},3)
> third=[first,second]
> % Conflicting data structures: B,concatenation.
> % Execution halted at: $MAIN$
>
> I have not been able to find a way to do that properly (without subscripting
> each field one after another) an there are no example in David Fanning's
> book (Hey David, I've bought your great book, please help :-))
```

Not everything is in the book. Sometimes you have to visit my web page. :-)

http://www.dfanning.com/tips/concatenate_structs.html

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155
