
Subject: Re: AUTOMATIC CURSOR

Posted by [knipp](#) on Mon, 21 Feb 1994 14:12:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

In article 29@puknet.puk.ac.za, fskmjm@puknet.puk.ac.za (Mathews, MJ) writes:

> How does one get the cursor in a text widget to jump to the next input field

> when pressing CR?

>

```
>          |      MIKE MATHEWS      |
>          |  fskmjm@puknet.puk.ac.za  |
```

...

I did the following:

```
NAME = TAG_NAMES (EVENT, /STRUCTURE_NAME)
```

```
CASE NAME OF
```

```
"WIDGET_TEXT": BEGIN
```

```
  POS = WHERE ( T_EV EQ EVENT.ID )
```

```
  POS = (POS(0) + 1) < (N_LIST-1L)
```

```
  WIDGET_CONTROL, T_EV(POS), /INPUT_FOCUS
```

```
END
```

```
ENDCASE
```

where T_EV is a long-array with the events according to the different TEXT_WIDGETS.

Karl

```
  _/_/_ \/_/_ Karlheinz Knipp      phone: +49 511 - 762 4922
  _/_/_/_/_/_ University of Hannover  fax: +49 511 - 762 2483
  _/_/_/_/_/_ Institute for Photogrammetry
  _/_/_/_/_/_ Nienburger Str.1
  _/_/_/_/_/_ FRG 30167 Hannover 1   email: knipp@ipi.uni-hannover.de
```
