
Subject: Re: IDL language mode for nedit
Posted by [Paul van Delst](#) on Thu, 14 Oct 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

"Robert S. Mallozzi" wrote:

> [Posted and mailed]
>
> In article <37FCA583.851AA3E8@astro.yale.edu>,
> Octavi Fors <octavi@astro.yale.edu> writes:
>> Hello everybody,
>>
>> Nedit is a nice editor developed in FermiLab. I'm using it for writing
>> IDL programs. I've seen it has several languages modes (C, C++, FORTRAN,
>> LATEX, etc...) to highlight text. Unfortunately there's no IDL mode.
>>
>> Does anybody know any IDL-language-mode patch?
>

The .nedit file I edited to include IDL syntax highlighting is attached (at least I hope so. NetScape is a fickle beastie). It's also got all the other defaults that come with nedit.

hope this is useful. it has just a few more definitions than the FNAL version. I'm sure you'll be able to tell that I thought it was a neat thing and I had *way* too much time on my hands that day. :o)

paulv

--

Paul van Delst
Space Science and Engineering Center | Ph/Fax: (608) 265-5357, 262-5974
University of Wisconsin-Madison | Email: paul.vandelst@ssec.wisc.edu
1225 W. Dayton St., Madison WI 53706 | Web: <http://airs2.ssec.wisc.edu/~paulv>

! Preferences file for NEdit
!

! This file is overwritten by the "Save Defaults..." command in NEdit
! and serves only the interactively settable options presented in the NEdit
! "Preferences" menu. To modify other options, such as background colors
! and key bindings, use the .Xdefaults file in your home directory (or
! the X resource specification method appropriate to your system). The
! contents of this file can be moved into an X resource file, but since
! resources in this file override their corresponding X resources, either
! this file should be deleted or individual resource lines in the file
! should be deleted for the moved lines to take effect.

```

nedit.shellCommands: \
spell:Alt+B:s:EX:\n\
  cat>spellTmp; xterm -e ispell -x spellTmp; cat spellTmp; rm spellTmp\n\
wc::w:ED:\n\
  set wc=`wc`; echo $wc[1] "lines," $wc[2] "words," $wc[3] "characters"\n\
sort::o:EX:\n\
  sort\n\
number lines::n:AW:\n\
  nl -ba\n\
make:Alt+Z:m:W:\n\
  make\n\
expand::p:EX:\n\
  expand\n\
unexpand::u:EX:\n\
  unexpand\n
nedit.macroCommands: \
Complete Word:Alt+D::: {\n\
  # Tuning parameters\n\
  ScanDistance = 200\n\
  \n\
  # Search back to a word boundary to find the word to complete\n\
  startScan = max(0, $cursor - ScanDistance)\n\
  endScan = min($text_length, $cursor + ScanDistance)\n\
  scanString = get_range(startScan, endScan)\n\
  keyEnd = $cursor-startScan\n\
  keyStart = search_string(scanString, "<", keyEnd, "backward", "regex")\n\
  if (keyStart == -1)\n\
    return\n\
  keyString = "<" substring(scanString, keyStart, keyEnd)\n\
  \n\
  # search both forward and backward from the cursor position. Note that\n\
  # using a regex search can lead to incorrect results if any of the special\n\
  # regex characters is encountered, which is not considered a delimiter\n\
  backwardSearchResult = search_string(scanString, keyString, keyStart-1, \\n\
    "backward", "regex")\n\
  forwardSearchResult = search_string(scanString, keyString, keyEnd, "regex")\n\
  if (backwardSearchResult == -1 && forwardSearchResult == -1) {\n\
    beep()\n\
    return\n\
  }\n\
  \n\
  # if only one direction matched, use that, otherwise use the nearest\n\
  if (backwardSearchResult == -1)\n\
    matchStart = forwardSearchResult\n\
  else if (forwardSearchResult == -1)\n\
    matchStart = backwardSearchResult\n\
  else {\n\

```

```

    if (keyStart - backwardSearchResult <= forwardSearchResult - keyEnd)\n
        matchStart = backwardSearchResult\n
    else\n
        matchStart = forwardSearchResult\n
}\n
\n
# find the complete word\n
matchEnd = search_string(scanString, ">", matchStart, "regex")\n
completedWord = substring(scanString, matchStart, matchEnd)\n
\n
# replace it in the window\n
replace_range(startScan + keyStart, $cursor, completedWord)\n
}\n
Fill Sel. w/Char:::R: {\n
if ($selection_start == -1) {\n
    beep()\n
    return\n
}\n
\n
# Ask the user what character to fill with\n
fillChar = string_dialog("Fill selection with what character?", "OK", "Cancel")\n
if ($string_dialog_button == 2)\n
    return\n
\n
# Count the number of lines in the selection\n
nLines = 0\n
for (i=$selection_start; i<$selection_end; i++)\n
    if (get_character(i) == "\n")\n
        nLines++\n
\n
# Create the fill text\n
rectangular = $selection_left != -1\n
line = ""\n
fillText = ""\n
if (rectangular) {\n
    for (i=0; i<$selection_right-$selection_left; i++)\n
        line = line fillChar\n
    for (i=0; i<nLines; i++)\n
        fillText = fillText line "\n"\n
        fillText = fillText line\n
} else {\n
    if (nLines == 0) {\n
        for (i=$selection_start; i<$selection_end; i++)\n
            fillText = fillText fillChar\n
    } else {\n
        startIndent = 0\n
        for (i=$selection_start-1; i>=0 && get_character(i)!="\n"; i--)\n
            startIndent++\n

```

```

    for (i=0; i<$wrap_margin-startIndent; i++)\n\
        fillText = fillText fillChar\n\
    fillText = fillText "\n"\n\
for (i=0; i<$wrap_margin; i++)\n\
    line = line fillChar\n\
for (i=0; i<nLines-1; i++)\n\
    fillText = fillText line "\n"\n\
for (i=$selection_end-1; i>=$selection_start && get_character(i)!="\n"; \\\n\
    i--)\n\
    fillText = fillText fillChar\n\
}\n\
}\n\
\n\
# Replace the selection with the fill text\n\
replace_selection(fillText)\n\
}\n\
Quote Mail Reply::: {\n\
if ($selection_start == -1)\n\
    replace_all("^.*$", "\\\> &", "regex")\n\
else\n\
    replace_in_selection("^.*$", "\\\> &", "regex")\n\
}\n\
Unquote Mail Reply::: {\n\
if ($selection_start == -1)\n\
    replace_all("(^\\\\> )(.*)$", "\\\2", "regex")\n\
else\n\
    replace_in_selection("(^\\\\> )(.*)$", "\\\2", "regex")\n\
}\n\
C Comments>Comment Out Sel.@C@C++:::R: {\n\
selStart = $selection_start\n\
selEnd = $selection_end\n\
replace_range(selStart, selEnd, "/* " get_selection() " */")\n\
select(selStart, selEnd + 6)\n\
}\n\
C Comments>C Uncomment Sel.@C@C++:::R: {\n\
sel = get_selection()\n\
selStart = $selection_start\n\
selEnd = $selection_end\n\
commentStart = search_string(sel, "/*", 0)\n\
if (substring(sel, commentStart+2, commentStart+3) == " ")\n\
    keepStart = commentStart + 3\n\
else\n\
    keepStart = commentStart + 2\n\
keepEnd = search_string(sel, "*/", length(sel), "backward")\n\
commentEnd = keepEnd + 2\n\
if (substring(sel, keepEnd - 1, keepEnd) == " ")\n\
    keepEnd = keepEnd - 1\n\
replace_range(selStart + commentStart, selStart + commentEnd, \\\n\

```

```

    substring(sel, keepStart, keepEnd))\n\
select(selStart, selEnd - (keepStart-commentStart) - \\n\
(commentEnd - keepEnd))\n\
}\n\
C Comments>+ C++ Comment@C++:::R: {\n\
replace_in_selection("^.*$", "// &", "regex")\n\
}\n\
C Comments>- C++ Comment@C++:::R: {\n\
replace_in_selection("(^[ \\t]*// ?)(.*)$", " \\t2", "regex")\n\
}\n\
C Comments>+ C Bar Comment 1@C:::R: {\n\
if ($selection_left != -1) {\n\
    dialog("Selection must not be rectangular")\n\
    return\n\
}\n\
start = $selection_start\n\
end = $selection_end-1\n\
origText = get_range($selection_start, $selection_end-1)\n\
newText = "/*\n" replace_in_string(get_range(start, end), \\n\
"^", " * ", "regex") "\n * \n"\n\
replace_selection(newText)\n\
select(start, start + length(newText))\n\
}\n\
C Comments>- C Bar Comment 1@C:::R: {\n\
selStart = $selection_start\n\
selEnd = $selection_end\n\
newText = get_range(selStart+3, selEnd-4)\n\
newText = replace_in_string(newText, "^ \\t* ", "", "regex")\n\
replace_range(selStart, selEnd, newText)\n\
select(selStart, selStart + length(newText))\n\
}\n\
Make C Prototypes@C@C++::: {\n\
if ($selection_start == -1) {\n\
    start = 0\n\
    end = $text_length\n\
} else {\n\
    start = $selection_start\n\
    end = $selection_end\n\
}\n\
string = get_range(start, end)\n\
nDefs = 0\n\
searchPos = 0\n\
prototypes = ""\n\
staticPrototypes = ""\n\
for (;) {\n\
    headerStart = search_string(string, \\n\
    "[a-zA-Z]([^;#\\\"}=><!/]|\\n)*\\|\\|)[ \\t]*\\n?[ \\t]*{", \\n\
    searchPos, "regex")\n\
}

```

```

    if (headerStart == -1)\n\
break\n\
    headerEnd = search_string(string, ")", $search_end,"backward") + 1\n\
    prototype = substring(string, headerStart, headerEnd) ";\n\n"\n\
    if (substring(string, headerStart, headerStart+6) == "static")\n\
staticPrototypes = staticPrototypes prototype\n\
    else\n\
        prototypes = prototypes prototype\n\
        searchPos = headerEnd\n\
        nDefs++\n\
}\n\
if (nDefs == 0) {\n\
    dialog("No function declarations found")\n\
    return\n\
}\n\
new()\n\
focus_window("last")\n\
replace_range(0, 0, prototypes staticPrototypes)\n\
}\n
nedit.bgMenuCommands: \
Undo::: {\n\
    undo()\n\
}\n\
Redo::: {\n\
    redo()\n\
}\n\
Cut:::R: {\n\
    cut_clipboard()\n\
}\n\
Copy:::R: {\n\
    copy_clipboard()\n\
}\n\
Paste::: {\n\
    paste_clipboard()\n\
}\n
nedit.highlightPatterns: C:Default\n\
C++:Default\n\
Java:Default\n\
JavaScript:Default\n\
Ada:Default\n\
Fortran:2:0{\n\
    Comment:"^[Cc*!]"::"$::Comment::\n\
    Bang Comment:"!"::"$::Comment::\n\
    Debug Line:"^D"::"$::Preprocessor::\n\
    String:""::""::String::\n\
    Keywords:"< (ACCESS|[Aa]ccess|ERR|[Ee]rr|EXIST|[Ee]xist|FILE|[Ff]ile|FOR
M|[Ff]orm|IOSTAT|[Ii]ostat|NAME|[Nn]ame|NUMBER|[Nn]umber|OP
ENED|[Oo]pened|REC|[Rr]ec|RECL|[Rr]ecl|STATUS|[Ss]tatus|UNIT |[Uu]nit) >"::Keyword::D\n\

```

Statements:"< (ACCEPT|[Aa]ccept|AUTOMATIC|[Aa]utomatic|BACKSPACE|[Bb]acksp
ace|BLOCK|[Bb]lock|CALL|[Cc]all|CASE|[Cc]ase|CLOSE|[Cc]lose|
COMMON|[Cc]ommon|CONTINUE|[Cc]ontinue|DATA|[Dd]ata|DECODE|[D
d]ecode|DELETE|[Dd]elete|DIMENSION|[Dd]imension|DO|[Dd]o|ELS
E|[Ee]se|ELSEIF|[Ee]lseif|ENCODE|[Ee]ncode|ENDDO|[Ee]nd[Dd] o|END ?FILE|[Ee]nd
*[fF]ile|ENDIF|[Ee]nd[i]f|END|[Ee]nd|ENTRY|[Ee]ntry|EQUIVAL
ENCE|[Ee]quivalence|EXIT|[Ee]xit|EXTERNAL|[Ee]xternal|FORMAT
|[Ff]ormat|FUNCTION|[Ff]unction|GO *TO|[Gg]o
*[tT]o|IF|[Ii]f|IMPLICIT|[Ii]mplicit|INCLUDE|[Ii]nclude|INQU
IRE|[Ii]nquire|INTRINSIC|[Ii]ntrinsic|LOGICAL|[Ll]ogical|MAP
|[Mm]ap|NONE|[Nn]one|ON|[Oo]n|OPEN|[Oo]pen|PARAMETER|[Pp]ara
meter|PAUSE|[Pp]ause|POINTER|[Pp]ointer|PRINT|[Pp]rint|PROGR
AM|[Pp]rogram|READ|[Rr]ead|RECORD|[Rr]ecord|RETURN|[Rr]eturn
|REWIND|[Rr]ewind|SAVE|[Ss]ave|SELECT|[Ss]elect|STATIC|[Ss]t
atic|STOP|[Ss]top|STRUCTURE|[Ss]tructure|SUBROUTINE|[Ss]ubro
utine|SYSTEM|[Ss]ystem|THEN|[Tt]hen|TYPE|[Tt]ype|UNION|[Uu]n
ion|UNLOCK|[Uu]nlock|VIRTUAL|[Vv]irtual|VOLATILE|[Vv]olatile
|WHILE|[Ww]hile|WRITE|[Ww]rite) > "::Statements::D\n\
Data Types:"< (BYTE|[Bb]yte|CHARACTER|[Cc]haracter|COMPLEX|[Cc]omplex|DOUB LE
*COMPLEX|[Dd]ouble *[Cc]omplex|DOUBLE *PRECISION|[Dd]ouble
*[Pp]recision|DOUBLE|[Dd]ouble|INTEGER|[Ii]nteger|REAL|[Rr]e al)(\[0-9]+)? > "::Storage
Type::D\n\
Intrinsic:"< (ABS|[Aa]bs|COS|[Cc]os|DCOS|[Dd]cos|DBLE|[Dd]ble|DSIN|[Dd]si
n|FLOAT|[Ff]loat|INDEX|[Ii]ndex|INT|[Ii]nt|LEN_TRIM|[Ll]en_
Tt]rim|LOG|[Ll]og|SIN|[Ss]in|SNGL|[Ss]ngl|SQRT|[Ss]qrt|TAN|[Tt]an|TRIM|[Tt]rim)
> "::Intrinsic::\n\
Continuation:"^([^\t0])(| | |)?\t{1-9}"::Flag::\n\
Continuation in String:"\n([^\t0])(| | |)?\t{1-9}"::Flag:String::\n\
}\n\
Fortran90:2:0{\n\
Comment:"!":"\$":Comment::\n\
Debug Line:"^D":"\$":Preprocessor::\n\
String:"":":":String::\n\
Keywords:"< (ACCESS|[Aa]ccess|ERR|[Ee]rr|EXIST|[Ee]xist|FILE|[Ff]ile|FOR
M|[Ff]orm|IOSTAT|[Ii]ostat|NAME|[Nn]ame|NUMBER|[Nn]umber|OP
ENED|[Oo]pened|REC|[Rr]ec|RECL|[Rr]ecl|STATUS|[Ss]tatus|UNIT |[Uu]nit) > "::Keyword::D\n\
Statements:"< (ACCEPT|[Aa]ccept|AUTOMATIC|[Aa]utomatic|BACKSPACE|[Bb]acksp
ace|BLOCK|[Bb]lock|CALL|[Cc]all|CASE|[Cc]ase|CLOSE|[Cc]lose|
COMMON|[Cc]ommon|CONTAINS|[Cc]ontains|CONTINUE|[Cc]ontinue|D
ATA|[Dd]ata|DECODE|[Dd]ecode|DELETE|[Dd]elete|DIMENSION|[Dd]
imension|DO|[Dd]o|ELSE|[Ee]se|ELSEIF|[Ee]lseif|ENCODE|[Ee]n code|ENDDO|[Ee]nd[Dd]o|END
?FILE|[Ee]nd *[fF]ile|ENDIF|[Ee]nd[i]f|END|[Ee]nd|ENTRY|[Ee]ntry|EQUIVAL
ENCE|[Ee]quivalence|EXIT|[Ee]xit|EXTERNAL|[Ee]xternal|FORMAT
|[Ff]ormat|FUNCTION|[Ff]unction|GO *TO|[Gg]o
*[tT]o|IF|[Ii]f|IMPLICIT|[Ii]mplicit|INCLUDE|[Ii]nclude|INQU
IRE|[Ii]nquire|INTERFACE|[Ii]nterface|INTRINSIC|[Ii]ntrinsic
|LOGICAL|[Ll]ogical|MAP|[Mm]ap|MODULE|[Mm]odule|NONE|[Nn]one
|ON|[Oo]n|OPEN|[Oo]pen|PARAMETER|[Pp]arameter|PAUSE|[Pp]ause

```

|POINTER|[Pp]ointer|PRINT|[Pp]rint|PRIVATE|[Pp]rivate|PROCED
URE|[Pp]rocedure|PROGRAM|[Pp]rogram|PUBLIC|[Pp]ublic|READ|[R
r]ead|RECORD|[Rr]ecord|RETURN|[Rr]eturn|REWIND|[Rr]ewind|SAV
E|[Ss]ave|SELECT|[Ss]elect|STATIC|[Ss]tatic|STOP|[Ss]top|STR
UCTURE|[Ss]tructure|SUBROUTINE|[Ss]ubroutine|SYSTEM|[Ss]yste
m|THEN|[Tt]hen|TYPE|[Tt]ype|UNION|[Uu]nion|UNLOCK|[Uu]nlock|
VIRTUAL|[Vv]irtual|VOLATILE|[Vv]olatile|WHILE|[Ww]hile|WRITE |[Ww]rite >":::Statements::D\n\
Data Types:"< (BYTE|[Bb]yte|CHARACTER|[Cc]haracter|COMPLEX|[Cc]omplex|DOUB LE
*COMPLEX|[Dd]ouble *[Cc]omplex|DOUBLE *PRECISION|[Dd]ouble
*[Pp]recision|DOUBLE|[Dd]ouble|INTEGER|[Ii]nteger|REAL|[Rr]e al)(\[*[0-9]+)? >":::Storage
Type::D\n\
Intrinsic:"< (ABS|[Aa]bs|COS|[Cc]os|DCOS|[Dd]cos|DBLE|[Dd]ble|DSIN|[Dd]si
n|FLOAT|[Ff]loat|INDEX|[Ii]ndex|INT|[Ii]nt|LEN_TRIM|[Ll]en_[
Tt]rim|LOG|[Ll]og|SIN|[Ss]in|SNGL|[Ss]ngl|SQRT|[Ss]qrt|TAN|[ Tt]an|TRIM|[Tt]rim)
>":::Intrinsic::\n\
F90 Keywords:"< (ALLOCATABLE|[Aa]llocatable|ALLOCATE|[Aa]llocate|CASE|[Cc]as
e|CASE|[Cc]ase|CYCLE|[Cc]ycle|DEALLOCATE|[Dd]eallocate|ELSEW
HERE|[Ee]lsewhere|NAMELIST|[Nn]amelist|REWRITE|[Rr]ewrite|SE
LECT|[Ss]elect|WHERE|[Ww]here|INTENT|[Ii]ntent|OPTIONAL|[Oo]ptional) >":::Keyword::D\n\
Continuation in String:"\n( [^ \\t0]([ | | | ])?\t[1-9])":::Flag:String:\n\
)\n\
Pascal:Default\n\
Yacc:Default\n\
Perl:Default\n\
Python:Default\n\
Awk:Default\n\
Tcl:Default\n\
Sh Ksh Bash:Default\n\
Csh:Default\n\
Makefile:Default\n\
HTML:Default\n\
LaTeX:Default\n\
VHDL:Default\n\
Verilog:Default\n\
X Resources:Default\n\
NEdit Macro:Default\n\
IDL:1:0{\n\
Comment:";". "$":::Comment::\n\
Statements:"< (A_CORRELATE|[Aa]_[Cc]orrelate|ABS|[Aa]bs|ACOS|[Aa]cos|ALOG|
[Aa]log|ALOG10|[Aa]log10|AMOEB|[Aa]moeba|ANNOTATE|[Aa]nnota
te|ARG_PRESENT|[Aa]rg_[Pp]resent|ARROW|[Aa]rrow|ASCII_TEMPLA
TE|[Aa]scii_[Tt]emplate|ASIN|[Aa]sin|ASSOC|[Aa]ssoc|ATAN|[Aa
]tan|AXIS|[Aa]xis|BAR_PLOT|[Bb]ar_[Pp]lot|BESELI|[Bb]eseli|B
ESELJ|[Bb]eselj|BESELY|[Bb]esely|BETA|[Bb]eta|BILINEAR|[Bb]i
linear|BIN_DATE|[Bb]in_[Dd]ate|BINDGEN|[Bb]indgen|BINOMIAL|[
Bb]inomial|BLAS_AXPY|[Bb]las_[Aa]xpy|BLK_CON|[Bb]lk_[Cc]on|B
OX_CURSOR|[Bb]ox_[Cc]ursor|BREAKPOINT|[Bb]reakpoint|BROYDEN|
[Bb]royden|BYTARR|[Bb]ytarr|BYTE|[Bb]yte|BYTEORDER|[Bb]yteor

```

der|BYTSCL|[Bb]ytscl|C_CORRELATE|[Cc]_ [Cc]orrelate|CALDAT|[C
c]aldat|CALENDAR|[Cc]alendar|CALL_EXTERNAL|[Cc]all_ [Ee]xtern
al|CALL_FUNCTION|[Cc]all_ [Ff]unction|CALL_METHOD|[Cc]all_ [Mm]
ethod|CALL_PROCEDURE|[Cc]all_ [Pp]rocedure|CATCH|[Cc]atch|CD
|[Cc]d|CEIL|[Cc]eil|CHEBYSHEV|[Cc]hebyshev|CHECK_MATH|[Cc]he
ck_ [Mm]ath|CHISQR_CVF|[Cc]hisqr_ [Cc]vf|CHISQR_PDF|[Cc]hisqr_
[Pp]df|CHOLDC|[Cc]holdc|CHOLSOL|[Cc]holsol|CINDGEN|[Cc]indge
n|CIR_3PNT|[Cc]ir_ [33]pnt|CLOSE|[Cc]lose|CLUST_WTS|[Cc]lust_
[Ww]ts|CLUSTER|[Cc]luster|COLOR_CONVERT|[Cc]olor_ [Cc]onvert|
COLOR_QUAN|[Cc]olor_ [Qq]uan|COMFIT|[Cc]omfit|COMPLEX|[Cc]omp
lex|COMPLEXARR|[Cc]omplexarr|COMPLEXROUND|[Cc]omplexround|CO
MPUTE_MESH_NORMALS|[Cc]ompute_ [Mm]esh_ [Nn]ormals|COND|[Cc]on
d|CONGRID|[Cc]ongrid|CONJ|[Cc]onj|CONSTRAINED_MIN|[Cc]onstra
ined_ [Mm]in|CONTOUR|[Cc]ontour|CONVERT_COORD|[Cc]onvert_ [Cc]
oord|CONVOL|[Cc]onvol|COORD2TO3|[Cc]oord2to3|CORRELATE|[Cc]o
rrelate|COS|[Cc]os|COSH|[Cc]osh|CRAMER|[Cc]ramer|CREATE_STRU
CT|[Cc]reate_ [Ss]truct|CREATE_VIEW|[Cc]reate_ [Vv]iew|CROSSP|
[Cc]rossp|CRVLENGTH|[Cc]rvlength|CT_LUMINANCE|[Cc]t_ [Ll]umin
ance|CTI_TEST|[Cc]ti_ [Tt]est|CURSOR|[Cc]ursor|CURVEFIT|[Cc]u
rvefit|CV_COORD|[Cc]v_ [Cc]oord|CW_ANIMATE|[Cc]w_ [Aa]nimate|C
W_ANIMATE_LOAD|[Cc]w_ [Aa]nimate_ [Ll]oad|CW_ANIMATE_RUN|[Cc]w
_ [Aa]nimate_ [Rr]un|CW_ANIMATE_GETP|[Cc]w_ [Aa]nimate_ [Gg]etp|
CW_ARCBALL|[Cc]w_ [Aa]rcball|CW_BGROUP|[Cc]w_ [Bb]group|CW_CLR
INDEX|[Cc]w [Cc]lr_ [Ii]ndex|CW_COLORSEL|[Cc]w_ [Cc]olorsel|C
W_DEFROI|[Cc]w_ [Dd]efroi|CW_DICE|[Cc]w_ [Dd]ice|CW_FIELD|[Cc]
w_ [Ff]ield|CW_FORM|[Cc]w_ [Ff]orm|CW_FSLIDER|[Cc]w_ [Ff]slider
|CW_ORIENT|[Cc]w_ [Oo]rient|CW_PDMENU|[Cc]w_ [Pp]dmenu|CW_RGBS
LIDER|[Cc]w_ [Rr]gbslider|CW_TMPL|[Cc]w_ [Tt]mpl|CW_ZOOM|[Cc]w
_ [Zz]oom|DAY_NAME|[Dd]ay_ [Nn]ame|DAY_OF_WEEK|[Dd]ay_ [Oo]f_ [Ww]
week|DAY_OF_YEAR|[Dd]ay_ [Oo]f_ [Yy]ear|DBLARR|[Dd]blarr|DCIN
DGEN|[Dd]cindgen|DCOMPLEX|[Dd]complex|DCOMPLEXARR|[Dd]comple
xarr|DEFINE_KEY|[Dd]efine_ [Kk]ey|DEFROI|[Dd]efroi|DEFSYSV|[D
d]efsysv|DELVAR|[Dd]elvar|DEMO_MODE|[Dd]emo_ [Mm]ode|DERIV|[D
d]eriv|DERIVSIG|[Dd]erivsig|DETERM|[Dd]eterm|DEVICE|[Dd]evic
e|DFPMIN|[Dd]fpmin|DIALOG_MESSAGE|[Dd]ialog_ [Mm]essage|DIALO
G_PICKFILE|[Dd]ialog_ [Pp]ickfile|DIALOG_PRINTJOB|[Dd]ialog_ [Pp]
rintjob|DIALOG_PRINTERSETUP|[Dd]ialog_ [Pp]rinterssetup|DIG
ITAL_FILTER|[Dd]igital_ [Ff]ilter|DILATE|[Dd]ilate|DINDGEN|[D
d]indgen|DISSOLVE|[Dd]issolve|DIST|[Dd]ist|DO_APPLE_SCRIPT|[
Dd]o_ [Aa]pple_ [Ss]cript|DOC_LIBRARY|[Dd]oc_ [Ll]ibrary|DOUBLE
|[Dd]ouble|DT_ADD|[Dd]t_ [Aa]dd|DT_SUBTRACT|[Dd]t_ [Ss]ubtract
|DT_TO_VAR|[Dd]t_ [Tt]o_ [Vv]ar|EFONT|[Ee]font|EIGENQL|[Ee]ige
nql|EIGENVEC|[Ee]igenvec|ELMHES|[Ee]lmhes|EMPTY|[Ee]mpty|EOF
|[Ee]of|ERASE|[Ee]rase|ERODE|[Ee]rode|ERRORF|[Ee]rrorf|ERRPL
OT|[Ee]rrplot|EXECUTE|[Ee]xecute|EXIT|[Ee]xit|EXP|[Ee]xp|EXP
AND|[Ee]xand|EXPAND_PATH|[Ee]xand_ [Pp]ath|EXPINT|[Ee]xpint
|EXTRAC|[Ee]xtrac|EXTRACT_SLICE|[Ee]xtract_ [Ss]lice|F_CVF|[F
f]_ [Cc]vf|F_PDF|[Ff]_ [Pp]df|FACTORIAL|[Ff]actorial|FFT|[Ff]f

t|FILEPATH|[Ff]ilepath|FINDFILE|[Ff]indfile|FINDGEN|[Ff]indgen|FINITE|[Ff]inite|FIX|[Ff]ix|FLICK|[Ff]lick|FLOAT|[Ff]loat|FLOOR|[Ff]loor|FLOW3|[Ff]low3|FLTARR|[Ff]ltarr|FLUSH|[Ff]lush|FORMAT_AXIS_VALUES|[Ff]ormat_[Aa]xis_[Vv]alues|FREE_LUN|[Ff]ree_[Ll]un|FSTAT|[Ff]stat|FULSTR|[Ff]ulstr|FUNCT|[Ff]unct|FV_TEST|[Ff]v_[Tt]est|FX_ROOT|[Ff]x_[Rr]oot|FZ_ROOTS|[Ff]z_[Rr]oots|GAMMA|[Gg]amma|GAMMA_CT|[Gg]amma_[Cc]t|GAUSS_CVF|[Gg]auss_[Cc]vf|GAUSS_PDF|[Gg]auss_[Pp]df|GAUSS2DFIT|[Gg]auss2dfit|GAUSSFIT|[Gg]aussfit|GAUSSINT|[Gg]aussint|GET_KBRD|[Gg]et_[Kk]brd|GET_LUN|[Gg]et_[Ll]un|GETENV|[Gg]etenv|GRID3|[Gg]rid3|GS_ITER|[Gg]s_[Ii]ter|H_EQ_CT|[Hh]_[Ee]q_[Cc]t|H_EQ_INT|[Hh]_[Ee]q_[Ii]nt|HANNING|[Hh]anning|HDF_BROWSER|[Hh]df_[Bb]rowser|HDF_READ|[Hh]df_[Rr]ead|HEAP_GC|[Hh]eap_[Gg]c|HELP|[Hh]elp|HILBERT|[Hh]ilbert|HIST_2D|[Hh]ist_[22]d|HIST_EQUAL|[Hh]ist_[Ee]qual|HISTOGRAM|[Hh]istogram|HLS|[Hh]ls|HQR|[Hh]qr|HSV|[Hh]sv|BETA|[Ii]beta|IDENTITY|[Ii]ntity|IDLDT__DEFINE|[Ii]ldt_[_]_[Dd]efine|GAMMA|[Ii]gamma|IMAGE_CONT|[Ii]mage_[Cc]ont|IMAGINARY|[Ii]maginary|INDGEN|[Ii]ndgen|INT_2D|[Ii]nt_[22]d|INT_3D|[Ii]nt_[33]d|INT_TABULATED|[Ii]nt_[Tt]abulated|INTARR|[Ii]ntarr|INTERPOL|[Ii]nterpol|INTERPOLATE|[Ii]nterpolate|INVERT|[Ii]nvert|IOCTL|[Ii]octl|ISHFT|[Ii]shft|JOURNAL|[Jj]ournal|JUL_TO_DT|[Jj]ul_[Tt]o_[Dd]t|JULDAY|[Jj]ulday|KEYWORD_SET|[Kk]eyword_[Ss]et|KRIG2D|[Kk]rig2d|KURTOSIS|[Kk]urtosis|KW_TEST|[Kk]w_[Tt]est|LABEL_DATE|[Ll]abel_[Dd]ate|LABEL_REGION|[Ll]abel_[Rr]egion|LADFIT|[Ll]adfit|LEEFILT|[Ll]eefilt|LINBCG|[Ll]inbcg|LINDGEN|[Ll]indgen|LINFIT|[Ll]infit|LINKIMAGE|[Ll]inkimage|LIVE_CONTOUR|[Ll]ive_[Cc]ontour|LIVE_CONTROL|[Ll]ive_[Cc]ontrol|LIVE_DESTROY|[Ll]ive_[Dd]estroy|LIVE_EXPORT|[Ll]ive_[Ee]xport|LIVE_IMAGE|[Ll]ive_[Ii]mage|LIVE_INFO|[Ll]ive_[Ii]nfo|LIVE_LINE|[Ll]ive_[Ll]ine|LIVE_OPLOTT|[Ll]ive_[Oo]plot|LIVE_PLOT|[Ll]ive_[Pp]lot|LIVE_PRINT|[Ll]ive_[Pp]rint|LIVE_RECT|[Ll]ive_[Rr]ect|LIVE_STYLE|[Ll]ive_[Ss]tyle|LIVE_SURFACE|[Ll]ive_[Ss]urface|LIVE_TEXT|[Ll]ive_[Tt]ext|LJLCT|[Ll]j|ll|LL_ARC_DISTANCE|[Ll]_[Aa]rc_[Dd]istance|LMFIT|[Ll]mfit|LMGR|[Ll]mgr|LNGAMMA|[Ll]ngamma|LNP_TEST|[Ll]np_[Tt]est|LOADCT|[Ll]oadct|LONARR|[Ll]onarr|LONG|[Ll]ong|LSODE|[Ll]sode|LU_COMPLEX|[Ll]u_[Cc]omplex|LUDC|[Ll]udc|LUMPROVE|[Ll]umprove|LUSOL|[Ll]usol|M_CORRELATE|[Mm]_[Cc]orrelate|MACHAR|[Mm]achar|MAKE_ARRAY|[Mm]ake_[Aa]rray|MAP_CONTINENTS|[Mm]ap_[Cc]ontinents|MAP_GRID|[Mm]ap_[Gg]rid|MAP_IMAGE|[Mm]ap_[Ii]mage|MAP_PATCH|[Mm]ap_[Pp]atch|MAP_SET|[Mm]ap_[Ss]et|MAX|[Mm]ax|MD_TEST|[Mm]d_[Tt]est|MEAN|[Mm]ean|MEANABSDEV|[Mm]eanabsdev|MEDIAN|[Mm]edian|MESH_OBJ|[Mm]esh_[Oo]bj|MESSAGE|[Mm]essage|MIN|[Mm]in|MIN_CURVE_SURF|[Mm]in_[Cc]urve_[Ss]urf|MK_HTML_HELP|[Mm]k_[Hh]tml_[Hh]elp|MODIFYCT|[Mm]odifyct|MOMENT|[Mm]oment|MPEG_CLOSE|[Mm]peg_[Cc]lose|MPEG_OPEN|[Mm]peg_[Oo]pen|MPEG_PUT|[Mm]peg_[Pp]ut|MPEG_SAVE|[Mm]peg_[Ss]ave|MULTI|[Mm]ulti|N_ELEMENTS|[Nn]_[Ee]lements|N_PARAMS|[Nn]_[Pp]ar

ams|N_TAGS|[Nn]_[Tt]ags|NEWTON|[Nn]ewton|NORM|[Nn]orm|OBJ_CL
ASS|[Oo]bj_[Cc]lass|OBJ_DESTROY|[Oo]bj_[Dd]estroy|OBJ_ISA|[O
o]bj_[Ii]sa|OBJ_NEW|[Oo]bj_[Nn]ew|OBJ_VALID|[Oo]bj_[Vv]alid|
OBJARR|[Oo]bjarr|ON_ERROR|[Oo]n_[Ee]rror|ON_IOERROR|[Oo]n_[I
i]oerror|ONLINE_HELP|[Oo]nline_[Hh]elp|OPENR|[Oo]penr|OPENW|
[Oo]penw|OPENU|[Oo]penu|OPLOT|[Oo]plot|OPLOTERR|[Oo]ploterr|
P_CORRELATE|[Pp]_[Cc]orrelate|PCOMP|[Pp]comp|PLOT|[Pp]lot|PL
OT_3DBOX|[Pp]lot_[33]dbox|PLOT_FIELD|[Pp]lot_[Ff]ield|PLOT_I
O|[Pp]lot_[Ii][Oo]|PLOT_OI|[Pp]lot_[Oo][Ii]|PLOT_OO|[Pp]lot_
[Oo][Oo]|PLOTERR|[Pp]loterr|PLOTS|[Pp]lots|PNT_LINE|[Pp]nt_
Ll]ine|POINT_LUN|[Pp]oint_[Ll]un|POLAR_CONTOUR|[Pp]olar_[Cc]
ontour|POLAR_SURFACE|[Pp]olar_[Ss]urface|POLY|[Pp]oly|POLY_2
D|[Pp]oly_[22]d|POLY_AREA|[Pp]oly_[Aa]rea|POLY_FIT|[Pp]oly_
Ff]it|POLYFILL|[Pp]olyfill|POLYFILLV|[Pp]olyfillv|POLYFITW|[
Pp]olyfitw|POLYSHADE|[Pp]olyshade|POLYWARP|[Pp]olywarp|POPD|
[Pp]opd|POWELL|[Pp]owell|PRIMES|[Pp]rimes|PRINT|[Pp]rint|PRI
NTF|[Pp]rintf|PRINTD|[Pp]rintd|PROFILE|[Pp]rofile|PROFILER|[
Pp]rofiler|PROFILES|[Pp]rofiles|PROJECT_VOL|[Pp]roject_[Vv]o
l|PS_SHOW_FONTS|[Pp]s_[Ss]how_[Ff]onts|PSAFM|[Pp]safm|PSEUDO
|[Pp]pseudo|PTR_FREE|[Pp]tr_[Ff]ree|PTR_NEW|[Pp]tr_[Nn]ew|PTR
VALID|[Pp]tr[Vv]alid|PTRARR|[Pp]trarr|PUSHD|[Pp]ushd|QROMB
|[Qq]romb|QROMO|[Qq]romo|QSIMP|[Qq]simp|R_CORRELATE|[Rr]_[Cc]
]orrelate|R_TEST|[Rr]_[Tt]est|RANDOMN|[Rr]andomn|RANDOMU|[Rr
]andomu|RANKS|[Rr]anks|RDPIX|[Rr]dpix|READ/READF|[Rr]ead/rea
df|READ_ASCII|[Rr]ead_[Aa]scii|READ_BMP|[Rr]ead_[Bb]mp|READ_
GIF|[Rr]ead_[Gg]if|READ_INTERFILE|[Rr]ead_[Ii]nterfile|READ_
JPEG|[Rr]ead_[Jj]peg|READ_PICT|[Rr]ead_[Pp]ict|READ_PPM|[Rr]
ead_[Pp]pm|READ_SPR|[Rr]ead_[Ss]pr|READ_SRF|[Rr]ead_[Ss]rf|R
EAD_SYLK|[Rr]ead_[Ss]ylyk|READ_TIFF|[Rr]ead_[Tt]iff|READ_WAVE
|[Rr]ead_[Ww]ave|READ_X11_BITMAP|[Rr]ead_[Xx]11_[Bb]itmap|RE
AD_XWD|[Rr]ead_[Xx]wd|READS|[Rr]eads|READU|[Rr]eadu|REBIN|[R
r]ebin|RECALL_COMMANDS|[Rr]ecall_[Cc]ommands|RECON3|[Rr]econ
3|REDUCE_COLORS|[Rr]educe_[Cc]olors|REFORM|[Rr]eform|REGRESS
|[Rr]egress|REPLICATE|[Rr]eplicate|REPLICATE_INPLACE|[Rr]ep
licate_[Ii]nplace|RESOLVE_ALL|[Rr]esolve_[Aa]ll|RESOLVE_ROUTI
NE|[Rr]esolve_[Rr]outine|RESTORE|[Rr]estore|RETAIL|[Rr]etail
|RETURN|[Rr]eturn|REVERSE|[Rr]everse|REWIND|[Rr]ewind|RIEMAN
N|[Rr]iemann|RK4|[Rr]k4|ROBERTS|[Rr]oberts|ROT|[Rr]ot|ROTATE
|[Rr]otate|ROUND|[Rr]ound|ROUTINE_INFO|[Rr]outine_[Ii]nfo|RS
TEST|[Rr]s[Tt]est|RSTRPOS|[Rr]strpos|S_TEST|[Ss]_[Tt]est|S
AVE|[Ss]ave|SCALE3|[Ss]cale3|SCALE3D|[Ss]cale3d|SEARCH2D|[Ss]
earch2d|SEARCH3D|[Ss]earch3d|SEC_TO_DT|[Ss]ec_[Tt]o_[Dd]t|S
ET_PLOT|[Ss]et_[Pp]lot|SET_SHADING|[Ss]et_[Ss]hading|SET_SYM
BOL|[Ss]et_[Ss]ymbol|SETENV|[Ss]etenv|SETUP_KEYS|[Ss]etup_[K
k]eys|SFIT|[Ss]fit|SHADE_SURF|[Ss]hade_[Ss]urf|SHADE_SURF_IR
R|[Ss]hade_[Ss]urf_[Ii]rr|SHADE_VOLUME|[Ss]hade_[Vv]olume|SH
IFT|[Ss]hift|SHOW3|[Ss]how3|SHOWFONT|[Ss]howfont|SIN|[Ss]in|
SINDGEN|[Ss]indgen|SINH|[Ss]inh|SIZE|[Ss]ize|SKEWNESS|[Ss]ke

wness|SKIPF|[Ss]kipf|SLICER3|[Ss]licer3|SLIDE_IMAGE|[Ss]lide
_li|image|SMOOTH|[Ss]mooth|SOBEL|[Ss]obel|SORT|[Ss]ort|SPAWN
|[Ss]pawn|SPH_4PNT|[Ss]ph_44|pnt|SPH_SCAT|[Ss]ph_|Ss|cat|SP
L_INIT|[Ss]pl_|li|nit|SPL_INTERP|[Ss]pl_|li|interp|SPLINE|[Ss]
]pline|SPLINE_P|[Ss]pline_|Pp|SPRSAB|[Ss]prsab|SPRSAX|[Ss]p
rsax|SPRSIN|[Ss]prsin|SQRT|[Ss]qrt|STANDARDIZE|[Ss]tandardiz
e|STDDEV|[Ss]tddev|STOP|[Ss]top|STR_SEP|[Ss]tr_|Ss|ep|STR_TO
DT|[Ss]tr|Tt|o_|Dd|t|STRARR|[Ss]trarr|STRCOMPRESS|[Ss]trco
mpress|STRETCH|[Ss]tretch|STRING|[Ss]tring|STRLEN|[Ss]trlen|
STRLOWCASE|[Ss]trlowcase|STRMESSAGE|[Ss]trmessage|STRMID|[Ss]
]trmid|STRPOS|[Ss]trpos|STRPUT|[Ss]trput|STRTRIM|[Ss]trtrim|
STRUCT_ASSIGN|[Ss]truct_|Aa|ssign|STRUPCASE|[Ss]trupcase|SUR
FACE|[Ss]urface|SURFR|[Ss]urfr|SVDC|[Ss]vdc|SVDFIT|[Ss]vdfit
|SVSOL|[Ss]vsol|SWAP_ENDIAN|[Ss]wap_|Ee|ndian|SYSTIME|[Ss]ys
time|T_CVF|[Tt]_|Cc|vf|T_PDF|[Tt]_|Pp|df|T3D|[Tt]3d|TAG_NAME
S|[Tt]ag_|Nn|ames|TAN|[Tt]an|TANH|[Tt]anh|TAPRD|[Tt]aprd|TAP
WRT|[Tt]apwrt|TEK_COLOR|[Tt]ek_|Cc|olor|TEMPORARY|[Tt]tempora
ry|THIN|[Tt]hin|THREED|[Tt]hreed|TIME_TEST2|[Tt]ime_|Tt|est2
|TM_TEST|[Tt]m_|Tt|est|TODAY|[Tt]oday|TOTAL|[Tt]otal|TRACE|[
Tt]race|TRANSPOSE|[Tt]ranspose|TRI_SURF|[Tt]ri_|Ss|urf|TRIAN
GULATE|[Tt]riangulate|TRIGRID|[Tt]rigrid|TRIQL|[Tt]riql|TRIR
ED|[Tt]rired|TRISOL|[Tt]risol|TRNLOG|[Tt]rnlog|TS_COEF|[Tt]s
_|Cc|oef|TS_DIFF|[Tt]s_|Dd|iff|TS_FCAST|[Tt]s_|Ff|cast|TS_SM
OOTH|[Tt]s_|Ss|mooth|TV|[Tt]v|TVCRS|[Tt]vcrs|TVLCT|[Tt]vlct|
TVRD|[Tt]vrd|TVSCL|[Tt]vscl|UNIQ|[Uu]niq|USERSYM|[Uu]sersym|
VAR_TO_DT|[Vv]ar_|Tt|o_|Dd|t|VARIANCE|[Vv]ariance|VAX_FLOAT|
[Vv]ax_|Ff|loat|VEL|[Vv]el|VELOVECT|[Vv]elovect|VERT_T3D|[Vv]
]ert_|Tt|3d|VOIGT|[Vv]oigt|VORONOI|[Vv]oronoi|VOXEL_PROJ|[Vv]
]oxel_|Pp|roj|WAIT|[Ww]ait|WARP_TRI|[Ww]arp_|Tt|ri|WDELETE|[
Ww]delete|WEOF|[Ww]eof|WF_DRAW|[Ww]f_|Dd|raw|WHERE|[Ww]here|
WIDGET_BASE|[Ww]idget_|Bb|ase|WIDGET_BUTTON|[Ww]idget_|Bb|ut
ton|WIDGET_CONTROL|[Ww]idget_|Cc|ontrol|WIDGET_DRAW|[Ww]idge
t_|Dd|raw|WIDGET_DROPLIST|[Ww]idget_|Dd|roplist|WIDGET_EVENT
|[Ww]idget_|Ee|vent|WIDGET_INFO|[Ww]idget_|Ii|nfo|WIDGET_LAB
EL|[Ww]idget_|Ll|abel|WIDGET_LIST|[Ww]idget_|Ll|ist|WIDGET_S
LIDER|[Ww]idget_|Ss|lider|WIDGET_TABLE|[Ww]idget_|Tt|able|WI
DGET_TEXT|[Ww]idget_|Tt|ext|WINDOW|[Ww]indow|WRITE_BMP|[Ww]r
ite_|Bb|mp|WRITE_GIF|[Ww]rite_|Gg|if|WRITE_JPEG|[Ww]rite_|Jj
]peg|WRITE_NRIF|[Ww]rite_|Nn|rif|WRITE_PICT|[Ww]rite_|Pp|ict
|WRITE_PPM|[Ww]rite_|Pp|pm|WRITE_SPR|[Ww]rite_|Ss|pr|WRITE_S
RF|[Ww]rite_|Ss|rf|WRITE_SYLK|[Ww]rite_|Ss|ylk|WRITE_TIFF|[W
w]rite_|Tt|iff|WRITE_WAVE|[Ww]rite_|Ww|ave|WRITEU|[Ww]riteu|
WSET|[Ww]set|WSHOW|[Ww]show|WTN|[Ww]tn|XBM_EDIT|[Xx]bm_|Ee|d
it|XDISPLAYFILE|[Xx]displayfile|XFONT|[Xx]font|XINTERANIMATE
|[Xx]interanimate|XLOADCT|[Xx]loadct|XMANAGER|[Xx]manager|XM
NG_TMPL|[Xx]mng_|Tt|mpl|XMTOOL|[Xx]mtool|XPALETTE|[Xx]palett
e|XREGISTERED|[Xx]registered|XSQ_TEST|[Xx]sq_|Tt|est|XSURFAC
E|[Xx]surface|XVAREEDIT|[Xx]vareedit|XYOUTS|[Xx]youts|ZOOM|[Zz]oom|ZOOM_24|[Zz]oom_24)

```

> ":::Statements::\n\
  System Variables:"!": "[ =,+~\^*]": "\n": Intrinsic::\n\
  Reserved Words:"< (AND|[Aa]nd|BEGIN|[Bb]egin|CASE|[Cc]ase|COMMON|[Cc]ommon|DO|
[Dd]o|ELSE|[Ee]lse|END|[Ee]nd|ENDCASE|[Ee]ndcase|ENDELSE|[Ee]
]ndelse|ENDFOR|[Ee]ndfor|ENDIF|[Ee]ndif|ENDREP|[Ee]ndrep|END
WHILE|[Ee]ndwhile|EQ|[Ee]q|FOR|[Ff]or|FUNCTION|[Ff]unction|G
E|[Gg]e|GOTO|[Gg]oto|GT|[Gg]t|IF|[Ii]f|LE|[Ll]e|LT|[Ll]t|MOD
|[Mm]od|NE|[Nn]e|NOT|[Nn]ot|OF|[Oo]f|ON_IOERROR|[Oo]n_[Ii]oe
rror|OR|[Oo]r|PRO|[Pp]ro|REPEAT|[Rr]epeat|THEN|[Tt]hen|UNTIL
|[Uu]ntil|WHILE|[Ww]hile|XOR|[Xx]or) > ":::Reseved Words::\n\
  string1:"": ""::String1::\n\
  string2:"": ""::String2::\n\
}
nedit.languageModes: C:.c .h: "" ., \^! | @ # % ^ & * ( ) - = + { } [ ] " ' ; < > ? ~ \n\
C++:.cc .hh .C .H .i: "" ., \^! | @ # % ^ & * ( ) - = + { } [ ] " ' ; < > ? ~ \n\
Java:.java: ""::\n\
JavaScript:.js: ""::\n\
Ada:.ada .ad .ads .adb .a: ""::\n\
Fortran:.f .f77 .for: None: None::\n\
Fortran90:.f90: None: None::\n\
Pascal:.pas .p .int: ""::\n\
Yacc:.y: "" ., \^! | @ # % ^ & * ( ) - = + { } [ ] " ' ; < > ? ~ \n\
Perl:.pl .pm .p5: "\^ [ \t] * # [ \t] * ! . * perl": ""::\n\
Python:.py: "\^ # ! . * python": Auto: None::\n\
Tcl:.tcl: ""::\n\
Awk:.awk: ""::\n\
Sh Ksh Bash:.sh .bash .ksh .profile: "\^ [ \t] * # [ \t] * ! [ \t] * /bin / (sh | ksh | bash)": ""::\n\
Csh:.csh .cshrc .login .logout: "\^ [ \t] * # [ \t] * ! [ \t] * /bin / csh": ""::\n\
Makefile: Makefile makefile: ""::\n\
HTML:.html .htm: ""::\n\
LaTeX:.tex .sty .cls .dtx .ins: ""::\n\
VHDL:.vhd .vhdl .vdl: ""::\n\
Verilog:.v: ""::\n\
X Resources:.Xresources .Xdefaults .nedit: "\^ [!#]. * ([Aa]pp|[Xx]). * [Dd]efaults": ""::\n\
NEdit Macro:.nm .neditmacro: ""::\n\
IDL:.pro: None: None::
nedit.styles: Plain: yellow: Plain\n\
Logical: green: Italic\n\
Comment: magenta: Plain\n\
Keyword: magenta: Bold\n\
Statements: red: Bold\n\
Storage Type: green: Bold\n\
String: cyan: Plain\n\
String1: cyan: Plain\n\
String2: cyan: Plain\n\
Preprocessor: green: Plain\n\
Preprocessor1: white: Bold\n\
Character Const: cyan: Plain\n\

```

Numeric Const:darkGreen:Plain\n\
Identifier:brown:Plain\n\
Identifier1:RoyalBlue4:Plain\n\
Subroutine:purple:Plain\n\
Subroutine1:chocolate:Plain\n\
Ada Attributes:plum:Bold\n\
Flag:red:Bold\n\
Text Comment:SteelBlue4:Italic\n\
Text Key:cyan:Bold\n\
Text Key1:red:Bold\n\
Text Arg:RoyalBlue4:Bold\n\
Text Arg1:SteelBlue4:Bold\n\
Text Arg2:RoyalBlue4:Plain\n\
Text Escape:gray30:Bold\n\
LaTeX Math:darkGreen:Plain\n\
Intrinsic:orange:Italic\n\
Reserved Words:green:Bold Italic
nedit.smartIndentInit: C:Default\n\
C++:Default\n\
Python:Default
nedit.smartIndentInitCommon: Default
nedit.autoWrap: None
nedit.wrapMargin: 0
nedit.autoIndent: None
nedit.autoSave: True
nedit.saveOldVersion: False
nedit.showMatching: True
nedit.highlightSyntax: True
nedit.searchDialogs: False
nedit.retainSearchDialogs: True
nedit.repositionDialogs: True
nedit.statisticsLine: True
nedit.searchMethod: Literal
nedit.textRows: 40
nedit.textCols: 110
nedit.tabDistance: 8
nedit.emulateTabs: 8
nedit.insertTabs: False
nedit.textFont: -adobe-courier-medium-r-normal--12-*-*-*-*-*
nedit.boldHighlightFont: -adobe-courier-bold-r-normal--12-*-*-*-*-*
nedit.italicHighlightFont: -adobe-courier-medium-o-normal--12-*-*-*-*-*
nedit.boldItalicHighlightFont: -adobe-courier-bold-o-normal--12-*-*-*-*-*

File Attachments

1) [.nedit](#), downloaded 90 times
