Subject: Re: IDLSpecII: IDL Speed Survey Redux! Posted by wmc on Fri, 22 Oct 1999 07:00:00 GMT

View Forum Message <> Reply to Message

- J.D. Smith <jdsmith@astro.cornell.edu> wrote:
- > wmc@bas.ac.uk wrote:
- >> Aside: the auto-email failed, with no obvious indication of why.
- > Thanks. The auto-email code is basically:
- > spawn,/SH,'mail -s "SUBJ" user@company.com < file 2>&1 1>/dev/null', r
- > if strlen(strtrim(r[0],2)) ne 0 then begin
- > print, 'Error sending email.'
- > endif
- > If "mail" is not available on your path, or if it is not configured for
- > sending, it will fail. Maybe you could try sending a message to yourself
- > from IDL via spawn in this manner and let me know the results. Make
- > sure something exists in "file". Is there a more generic spawn command
- > I could use to accomodate Alpha's?

The error I get back with that command is:

```
usage: binmail [-epqbhr] [-f file] or binmail [-d] [-r name] [-h N] user ...
```

It works if I replace "mail" with "Mail". This may be more of a peculiarity of our system than a generic alpha thing... but you could let the script have a second go with "Mail" if the first send fails, perhaps?

-W.

--

William M Connolley | wmc@bas.ac.uk | http://www.nbs.ac.uk/public/icd/wmc/Climate Modeller, British Antarctic Survey | Disclaimer: I speak for myself