


```

; %NAME%
;
; PURPOSE:
;
; CATEGORY:
;
; PROPERTIES:
;   public properties:
;   private properties:
;
; METHODS:
;   public methods:
;     GetProperty
;     SetProperty
;     Show
;     Init
;     Cleanup
;   private methods:
;
; DESCRIPTION:
;
; INTERFACES:
;
; SIDE EFFECTS:
;
; MODIFICATION HISTORY:
;-
; Copyright
;-----

. *****
;
. *****
;
; Get Properties of %NAME%
;
pro %NAME%::GetProperty, $
    _ref_extra=extra

; Fill in lines along
; if arg_present(KEYWORD) then KEYWORD = self.KEYWORD

end ; %NAME%::GetProperty

. *****
;
. *****
;
; Set Properties of %NAME%
;
;

```

```

pro %NAME%:: SetProperty, $
    _ref_extra=extra

; Fill in lines along
; if n_elements(KEYWORD) eq 1 then self.KEYWORD = fix(KEYWORD)

end ; %NAME%:: SetProperty

```

```

. *****
;
. *****
;
; Display %NAME%
;
pro %NAME%:: Show

end ; %NAME%:: Show

```

```

. *****
;
. *****
;
; Cleanup method
;
pro %NAME%:: CleanUp

    print, '%NAME%:: CleanUp'

end ; %NAME%:: CleanUp

```

```

. *****
;
. *****
;
; Initialization method
;
function %NAME%:: Init, $
    _ref_extra=extra

    success = 0

; check inputs and set defaults
; Fill in lines along
; if n_elements(KEYWORD) eq 0 then KEYWORD = 0L
; self.KEYWORD = KEYWORD
; success = 1

return, success

```

```
end ; %NAME%::Init
```

```
. *****  
;  
. *****  
;
```

```
; Structure definition
```

```
;  
pro %NAME%__Define
```

```
temp = {%NAME%,      $  
        dummy:-1 }
```

```
end ; %NAME%__Define
```

File Attachments

1) [template__define.pro](#), downloaded 119 times
