
Subject: Clearing fields in widgets

Posted by [Sean Heukels](#) on Mon, 08 Nov 1999 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

I created a widget where you can load multiple functions with different numbers of variables to use as input.

NOw I created a button to clear these fields in a own PRO called clearval and here I open the structure info defined as the U_VALUE of the top.widget.

The problem now is that I clear all the fields here and as soon as I want to clear a field that HAS been defined in the structure info, but just hadn't been filled with data, creates an error.

I can ofcourse create seperate PRO clearval 's but i want to solute it an other way.

Anyone have a clue ??

Thank u Sean

PRO clearfields, event

; Read info

WIDGET_CONTROL, event.top, GET_UVALUE=info, /NO_COPY

; Could't find a BETTER way to do this.

; Created a lot of vars for future use.

WIDGET_CONTROL, info.var1, SET_VALUE=""

WIDGET_CONTROL, info.var2, SET_VALUE=""

WIDGET_CONTROL, info.var3, SET_VALUE=""

WIDGET_CONTROL, info.var4, SET_VALUE=""

WIDGET_CONTROL, info.var5, SET_VALUE=""

WIDGET_CONTROL, info.var6, SET_VALUE=""

WIDGET_CONTROL, info.var7, SET_VALUE=""

;WIDGET_CONTROL, info.var8, SET_VALUE="" ; This is where it goes wrong !!

;WIDGET_CONTROL, info.var9, SET_VALUE=""

;WIDGET_CONTROL, info.var10, SET_VALUE=""
