
Subject: Re: Q: Xmanager explanation?

Posted by [davidf](#) on Wed, 08 Dec 1999 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

David L. Keller (davekeller@pop.omah.uswest.net) writes:

>
> Using IDL in two different projects about 10 years apart,
> I have yet to figure out what 'Xmanager' does for me.
>
> I realize that I have to keep track of widget ids, which
> I do by creating a common array of NAME and ID pairs:
> a = {nameandnumber, wnam : "", wnum : 0L}
> I call a simple routine to add to the list of widgets:
> add2namenumber,'DataMenu',data_menu_id
> To retrieve a widget id, I have a function 'wnum' that
> converts the NAME to the NUMBER (ID):
> widget_control,wnum('DataMenu'),blah, etc=andSoOn)
>
> I am more comfortable going through this effort myself,
> because I -dont- know what xmanager does for me. Ok, I
> do know that it keeps track of the widget id's, but as
> I say, I'd rather do it myself and understand it.
>
> I also don't trust Xmanager in that I am not sure that
> I can trust it with the 'interrupt' magic, and type IDL
> commands at the same time.
>
> Anyone able to clearly explain what I get with xmanager?
> What it's drawbacks might be?

Uh, Dave. It's almost the millennium. :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155
