
Subject: Re: Cannot save MPEG
Posted by [lsyrkin](#) on Sun, 06 Feb 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

David,

I opened a window just to see what I am putting into MPEG file.
The fragment could be:

```
FOR j=0, 31 DO BEGIN
  READ_PICT, film, image
  MPEG_PUT, mpegID, IMAGE=image, FRAME=j
ENDFOR
```

Does it make a difference?

Thank you,
Leonid.

In article <MPG.13067e4c3500ca7a989a0d@news.frii.com>,
davidf@dfanning.com (David Fanning) wrote:

> Leonid Syrkin (lsyrkin@yahoo.com) writes:

>

>> I am writing a very basic program for converting set of 32 PICT
files

>> into a MPEG file:

>>

>> FOR j=0, 31 DO BEGIN

>>> READ_PICT, film, image

>> Window, XSize=256, YSize=270

>> tvscl, image

>> MPEG_PUT, mpegID, IMAGE=image, FRAME=j

>> ENDFOR

>>

>> What is wrong in my programm?

>

> I'm guessing that what you meant to write was this:

>

> MPEG_PUT, mpegID, WINDOW=!D.Window, FRAME=j

>

> Otherwise, why open a window? :-)

>

> Cheers,

>

> David

> --

> David Fanning, Ph.D.

> Fanning Software Consulting

> Phone: 970-221-0438 E-Mail: davidf@dfanning.com

> Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
> Toll-Free IDL Book Orders: 1-888-461-0155
>

Sent via Deja.com <http://www.deja.com/>
Before you buy.
