
Subject: Passing optional parameters through a wrapper routine

Posted by [bowman](#) on Tue, 08 Feb 2000 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

The `_EXTRA` keyword handles passing keyword parameters through a wrapper routine, but what about optional parameters? If my wrapper for TVRD has one of my own (mandatory) parameters, do I have to do the following?

```
PRO TVRD_WRAPPER, my_arg, x0, y0, nx, ny, channel, _EXTRA = tvrd_keywords
```

```
CASE N_PARAMS() OF
```

```
  1 : image = TVRD(                _EXTRA = tvrd_keywords)
  2 : image = TVRD(x0,              _EXTRA = tvrd_keywords)
  3 : image = TVRD(x0, y0,          _EXTRA = tvrd_keywords)
  4 : image = TVRD(x0, y0, nx,      _EXTRA = tvrd_keywords)
  5 : image = TVRD(x0, y0, nx,      _EXTRA = tvrd_keywords)
  6 : image = TVRD(x0, y0, nx, ny, channel, _EXTRA = tvrd_keywords)
  ELSE : MESSAGE, 'Incorrect number of arguments.'
```

```
ENDCASE
```

```
...
```

If I just try to pass undefined arguments through my wrapper, I get 'undefined variable' errors. (Is TVRD just counting the number of passed parameters and not checking to see if they are defined?)

Ken

--

Dr. Kenneth P. Bowman, Professor
Department of Meteorology
Texas A&M University
College Station, TX 77843-3150

409-862-4060
409-862-4466 fax
bowmanATcsrp.tamu.edu
Replace AT with @