Subject: Cholesky factorisation Posted by Peter Scarth on Tue, 22 Feb 2000 08:00:00 GMT View Forum Message <> Reply to Message

Howdy all,

I'm trying to determine if a symmetric matrix is positive-definite. If this sounds like gobbdlygook you might like to stop reading here. If the idl2matlab translate-o-matic existed, it would probably need to know about this to translate the handy \ (mldivide) operator. There a number of tests for positive-definiteness and the one I'm looking at is to attempt cholesky factorisation of the matrix. IDL's CHOLDC procedure halts and returns CHOLDC: choldc failed (note that matlab can return a value to flag a failure in the decomposition).

The metho that I an using to get the decomposition looks something like this:

```
pro choldc2,a,p
sa=size(a)
nd=sa[0] & m=sa[1] & n=sa[2]
: Some initial tests.....
; .....
p=fltarr(n)
for i=0,n-1 do begin
for j=i,n-1 do begin
sum=a(j,i)
if i gt 0 then sum=sum-total(a(0:i-1,i)*a(0:i-1,j))
if (i eq j) then begin
 if (sum le 0) then begin
 p = -1
 return
 endif else p(i)=sqrt(sum)
endif else a(i,j)=sum/p(i)
endfor
endfor
return
end
```

it works ok, returns -1 in p if the method fails but only runs at 1/10 the speed of the built in version.

Is it possible to vectorise this further, or has someone out there in cyberland found a more elegant solution to this problem already?

Thanks,