

---

Subject: Re: clear, who

Posted by [Theo Brauers](#) on Thu, 20 Apr 2000 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I dont know matlab but "who" sounds like a rockband :-)  
or like my user\_at\_host function which I attached at  
the end of this message.

Theo

bertram\_b\_smith@yahoo.com wrote:

```
>  
> Dear all,  
> how can I do in IDL something like the matlab 'clear' and 'who'?  
> Thank you,  
> Bert  
>  
> Sent via Deja.com http://www.deja.com/  
> Before you buy.
```

user\_at\_host.pro

```
-----  
; Copyright (c) 1998, Theo Brauers, Forschungszentrum Juelich GmbH ICG-3  
; All rights reserved. Unauthorized reproduction prohibited.  
; This software may be used, copied, or redistributed as long as it is not  
; sold and this copyright notice is reproduced on each copy made. This  
; routine is provided as is without any express or implied warranties  
; whatsoever. Email bug reports to th.brauers@fz-juelich.de  
;  
;+  
; NAME:  
; user_at_host  
;  
; PURPOSE:  
; This function returns user and host names  
;  
; CATEGORY:  
; PROG_TOOLS/STRINGS  
;  
; CALLING SEQUENCE:  
; Result = USER_AT_HOST([/MESSAGE])  
;  
; KEYWORD PARAMETERS:  
; MESSAGE: if set a message is printed  
;  
; OUTPUTS:  
; This function returns a string username@hostname  
;
```

```
; EXAMPLE:
; print, user_at_host()
; IDL prints:
;   ich306@ICH355

; MODIFICATION HISTORY:
;   Written by: Theo Brauers, 1998-OKT
;-
FUNCTION user_at_host, MESSAGE=message

IF !version.os_family EQ 'unix' THEN BEGIN
  u=GETENV('USER') & h=GETENV('SESSION_SVR')
ENDIF ELSE BEGIN
  u=GETENV('USERNAME') & h=GETENV('COMPUTERNAME')
ENDELSE
r=u+'@'+h
IF KEYWORD_SET(message) THEN $
  IF STRLEN(u) EQ 0 OR STRLEN(h) EQ 0 THEN $
    MESSAGE, 'not found', /INFO ELSE $
    MESSAGE, r, /INFO
RETURN, r
END
```

---