


```

[[          phone: +49 40 41173-308          ]]
[[          fax:  +49 40 41173-298          ]]
[[ martin.schultz@dkrz.de                    ]]
[[
#####
; $Id: sym.pro,v 1.10 1999/01/22 20:12:17 mgs Stab $
;-----
;+
; NAME:
;   SYM
;
; PURPOSE:
;   define a standard sequence of plotting symbols
;
; CATEGORY:
;   utility
;
; CALLING SEQUENCE:
;   PLOT,X,Y,PSYM=SYM(NUMBER)
;
; INPUTS:
;   NUMBER  ->  symbol number
;
;       0 : dot
;       1 : filled circle
;       2 : filled upward triangle
;       3 : filled downward triangle
;       4 : filled diamond
;       5 : filled square
;       6 : open circle
;       7 : open upward triangle
;       8 : open downward triangle
;       9 : open diamond
;      10 : open square
;      11 : plus
;      12 : X
;      13 : star
;      14 : filled rightfacing triangle
;      15 : filled leftfacing triangle
;      16 : open rightfacing triangle
;      17 : open leftfacing triangle
;
; KEYWORD PARAMETERS:
;
; OUTPUTS:
;   function returns the symbol number to be used with PSYM= in the
;   PLOT command
;
; SUBROUTINES:

```

```

; SHOWSYM : Can be used to produce a symbol chart for reference
; (Type .r sym, then showsym, optionally with the /PS option).
; Extra keywords are passed to PLOTS, so you can e.g. choose
; a fancy color for your chart.
;
; REQUIREMENTS:
;
; NOTES:
; This function produces a side effect in that the USERSYM procedure
; is used to create a symbol definition. It's meant for usage within
; the PLOT, OPLOT, etc. command
;
; EXAMPLE:
; PLOT,X,Y,PSYM=SYM(0),SYMSIZE=3
; produces a plot with dots (standard symbol 3)
; FOR I=0,17 DO OPLOT,X+1,Y,PSYM=SYM(I),COLOR=I
; overplots 17 curves each with its own symbol
;
; MODIFICATION HISTORY:
; mgs, 22 Aug 1997: VERSION 1.00
; mgs, 10 Sep 1999: - added SHOWSYM procedure
;
; -
; Copyright (C) 1997, Martin Schultz, Harvard University
; This software is provided as is without any warranty
; whatsoever. It may be freely used, copied or distributed
; for non-commercial purposes. This copyright notice must be
; kept with any copy of this software. If this software shall
; be used commercially or sold as part of a larger package,
; please contact the author to arrange payment.
; Bugs and comments should be directed to mgs@io.harvard.edu
; with subject "IDL routine sym"
;-----

```

```
pro showsym,ps=ps,_EXTRA=e
```

```
FORWARD_FUNCTION SYM
```

```

psflag = keyword_set(PS)
if (psflag) then begin
  olddev = !D.NAME
  set_plot,'PS'
  device,/COLOR,bits=8,xsize=8,ysize=5,yoffset=3,/INCHES, $
  filename='symbols.ps'
endif

```

```
plot,findgen(18),/NODATA,xstyle=4,YSTYLE=4
for i=0,17 do begin
  plots,1,18-i,PSYM=SYM(i),_EXTRA=e
  xyouts,0.5,18-i-0.2,strtrim(i,2),align=1.
endfor
```

```
if (psflag) then begin
  device,/close
  set_plot,olddev
  print,'Symbolist created as symbols.ps.'
endif
```

```
return
end
```

```
; ~~~~~
```

```
function sym,number
```

```
  on_error,2 ; return to caller
```

```
  if(n_elements(number) eq 0) then return,1 ; default
```

```
  result=8 ; default: return psym=8, i.e. user defined symbol
```

```
; define some help variables for
```

```
; circle :
```

```
  phi=findgen(32)*(!PI*2/32.)
```

```
  phi = [ phi, phi(0) ]
```

```
case number of
```

```
  0 : result = 3 ; dot
```

```
  1 : usersym, cos(phi), sin(phi), /fill
      ; filled circle
```

```
  2 : usersym, [ -1, 0, 1, -1 ], [ -1, 1, -1, -1 ], /fill
      ; filled upward triangle
```

```
  3 : usersym, [ -1, 0, 1, -1 ], [ 1, -1, 1, 1 ], /fill
      ; filled downward triangle
```

```
  4 : usersym, [ 0, 1, 0, -1, 0 ], [ 1, 0, -1, 0, 1 ], /fill
```

```

        ; filled diamond

5 : usersym, [ -1, 1, 1, -1, -1 ], [ 1, 1, -1, -1, 1 ], /fill
    ; filled square

6 : usersym, cos(phi), sin(phi)
    ; open circle

7 : usersym, [ -1, 0, 1, -1 ], [ -1, 1, -1, -1 ]
    ; open upward triangle

8 : usersym, [ -1, 0, 1, -1 ], [ 1, -1, 1, 1 ]
    ; open downward triangle

9 : usersym, [ 0, 1, 0, -1, 0 ], [ 1, 0, -1, 0, 1 ]
    ; open diamond

10 : usersym, [ -1, 1, 1, -1, -1 ], [ 1, 1, -1, -1, 1 ]
    ; open square

11 : result = 1 ; plus

12 : result = 7 ; X

13 : result = 2 ; star

14 : usersym, [ -1, 1, -1, -1 ], [1, 0, -1, 1 ], /fill
    ; rightfacing triangle, filled

15 : usersym, [ 1, -1, 1, 1 ], [1, 0, -1, 1 ], /fill
    ; leftfacing triangle, filled

16 : usersym, [ -1, 1, -1, -1 ], [1, 0, -1, 1 ]
    ; rightfacing triangle, open

17 : usersym, [ 1, -1, 1, 1 ], [1, 0, -1, 1 ]
    ; leftfacing triangle, open

else : begin
    print,'invalid symbol number - set to 1'
    result = 1
end

endcase

return,result
end

```

File Attachments

1) [sym.pro](#), downloaded 77 times
