
Subject: Re: MAP_SET, /SATELLITE
Posted by [grunes](#) on Tue, 03 May 1994 13:17:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article <Cp7K7x.11E3@yuma.ACNS.ColoState.EDU>

dean@phobos.cira.colostate.edu writes:

> I have been getting GMS satellite data from over the internet. I already
> have a FORTRAN program that navigates the images pretty well. However,
> when I use IDL's MAP_SET for /SATELLITE, the IDL map doesn't line up. I
> looks OK near the subsatellite point, but the farther you get away, the
> the worst the navigation becomes.

...

> We would like to do the following in IDL:

>

> TV, b

> plot,/satellite,/continent..

>

> Use the IDL cursor lat,lon conversions to navigate through the image.

I really can't help you with map_set, as I also noticed that the positions
at which it draws map features appear to be incorrect.

But, I can supply you with a much simplified routine which can draw maps
using a simple cartesian projection, simply by reading the map files.

You can perhaps adapt it to your use:

-----CUT HERE-----

;-----

; Routine to Draw a map.

;-----

pro draw_map,latmin,latmax,lonmin,lonmax,title

; Draw a map. It will then be possible to

; plot over the map using

; PLOTS,LON,LAT,NOCLIP=0

; (LON and LAT are arrays in degrees).

; latmin,latmax=minimum,maximum latitude (>0=north)

; lonmin,lonmax=minimum,maximum longitude (>0=east)

; title=plot title

; By Mitchell Grunes.

; Simplified from userlib procedure map_set.pro,

; because I could not figure out a way to get

; map_set.pro to give a simple rectangular

; projection, and because it seemed to be drawing

; things in the wrong places.

```

latmin2=latmin
latmax2=latmax
lonmin2=lonmin
lonmax2=lonmax
aspect=8.3125/6.125/cos((latmin+latmax)/2.*!pi/180) ;Adjust so that
    ;latitude and
    ;longitude scales
    ;will be same at
    ;center.
if (lonmax-lonmin) lt (latmax-latmin)*(aspect*.98) then begin
    d=(latmax-latmin)*aspect-(lonmax-lonmin)
    lonmin2=lonmin2-d/2
    lonmax2=lonmax2+d/2
endif else if (latmax-latmin) lt (lonmax-lonmin)/(aspect*.98) then begin
    d=(lonmax-lonmin)/aspect-(latmax-latmin)
    latmin2=latmin2-d/2
    latmax2=latmax2+d/2
endif
xticks=fix(lonmax2-lonmin2)
yticks=fix(latmax2-latmin2)
if xticks lt 3 or xticks gt 15 or lonmin2 ne fix(lonmin2) $
or lonmax2 ne fix(lonmax2) then xticks=0
if yticks lt 3 or yticks gt 15 or latmin2 ne fix(latmin2) $
or latmax2 ne fix(latmax2) then yticks=0
plot,[lonmin2,lonmin2,lonmax2,lonmax2,lonmin2], $
    [latmin2,latmax2,latmax2,latmin2,latmin2],xstyle=1,ystyle=1, title=title, $
ticklen=1,xticks=xticks,yticks=yticks
close,1
openr,1,FILEPATH('supmap.dat',subdir = "maps"),/xdr,/stream
fbyte = [ 0, 71612L, 165096L]
nsegs = [ 283, 325, 594 ]
ij=2 ;0=course resolution map,1=U.S. only,2=All
point_lun, 1, fbyte(ij)
for i=1,nsegs(ij) do begin
    npts = 0L
    maxlat=0. & minlat=0. & maxlon=0. & minlon=0.
    readu,1,npts,maxlat,minlat,maxlon,minlon
    npts = npts / 2 ;# of points
    xy = fltarr(2,npts)
    readu,1,xy
    if (maxlat lt latmin2) or (minlat gt latmax2) then goto,skipit
    if (maxlon lt lonmin2) or (minlon gt lonmax2) then BEGIN
        if (lonmax2 gt 180 and maxlon + 360 ge lonmin2) then goto,goon
        if (lonmin2 lt -180 and minlon -360 le lonmax2) then goto,goon
        goto, skipit
    endif
goon:

```

```
lat = xy(0,*) & lon = xy(1,*)  
plots, lon,lat,NOCLIP=0,color = 2  
empty  
skipit:  
endfor  
end
```

-----CUT HERE-----

Now the problem of aligning image and graphics on the same screen is much more difficult (and it is much different in postscript than on the screen, as there are major bugs in the IDL and PV-Wave postscript drivers). I won't try to explain that, but will leave it to someone else!
