## Subject: A \*SHORT\* Object Testimonial Posted by davidf on Mon, 31 Jul 2000 07:00:00 GMT

View Forum Message <> Reply to Message

Folks,

I'm going for a round 50 posts today. :-)

I wouldn't bother you, but this really happened to me today, and it seems germane to recent discussions on this newsgroup.

I got an e-mail from a friend in Los Alamos today. His users were complaining that while his widget interface was nice, you couldn't tab from one field to the next, like you could in any other Mac or Windows program known to man. Was there anything that could be done? He was using CW\_Field.

"Using CW\_Field!? No, there is nothing that can be done. Pray they don't want keyboard input next, is about all you can do", I told him.

But, and here is the relevant part of the story, I have a program named FSC\_InputField that I introduced on this newsgroup 6 months or so ago. It is a CW\_Field replacement, but has been written completely as an object. I know of at least two people who have had the courage to download it.

It took me--this is no joke--all of 10 minutes to add and test the capability to tab from one field to the next. I had to build three new methods, each only 3-4 lines long. That was it. Done.

Try \*that\* with a program that is not written as an object. :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155