
Subject: Re: xplot with overplotting

Posted by [Mark Hadfield](#) on Wed, 16 Aug 2000 23:14:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

"teb" <tbowers@nrlssc.navy.mil> wrote in message

news:8nef5i\$fu\$1@ra.nrl.navy.mil...

> does anybody have an obj. gr. app available that is like dfanning's xplot

> but allows for multiple dataset overplots?

My MGH_Plot class is an attempt at that. It's immature but it does what you want, e.g. it can be invoked as

```
mgh_new, 'MGH_Plot', findgen(11) ; Quick plot. Discard object reference.
```

or

```
o = obj_new('MGH_Plot', XRANGE=[0,10], YRANGE=[0,10])
```

```
o->plot, findgen(11)
```

```
o->plot, findgen(11), 0.1*findgen(11)^2
```

You can adjust XRANGE and YRANGE via widget dialogues. Sorry, no interactive control of linestyle, etc.

See <http://katipo.niwa.cri.nz/~hadfield/gust/software/idl/>

Mark Hadfield

m.hadfield@niwa.cri.nz <http://katipo.niwa.cri.nz/~hadfield/>

National Institute for Water and Atmospheric Research

PO Box 14-901, Wellington, New Zealand
