
Subject: Re: Garbage collection and Memory
Posted by [hevans\[2\]](#) on Fri, 03 Jun 1994 13:58:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article <gumley-020694132201@macfeng.gsfc.nasa.gov>, gumley@climate.gsfc.nasa.gov (Liam E. Gumley) writes:

```
|>In article <1994Jun2.155555@estwm0.wm.estec.esa.nl>,  
|>hevans@estwm0.wm.estec.esa.nl (Hugh Evans) wrote:  
|>  
|>> I am using PV~Wave v4.01 (VAX/VMS) and after loading in large data sets and  
|>> manipulating them, PV~Wave runs out of memory (core). This is despite creating  
|>> more variables.  
|>>  
|>> The question I have is: Is there any command that invokes a garbage collector  
|>> to clean up the memory used? Or do I just have to save the session, exit and  
|>> restart the session?  
|>  
|>If you have a large variable array which is longer needed, just redefine it  
|>as a single value variable, e.g.  
|>  
|>array = fltarr(10000,10000)  
|>(processing steps)  
|>array = 0  
|>  
|>See page 12-7 of the IDL User's Guide (v3.5).  
|>
```

Perhaps I phrased my question badly.

I have discovered that after using Wave for an extended period that it slowly grabs more and more memory, even if new variables are not created, until finally it runs out of core memory. Whereas by saving the session and restarting it, the previous operation that crashed on a memory allocation problem will complete successfully.

This, by the way, is being done on VAX/VMS.

--

Hugh Evans
European Space Research and Technology Centre - Noorwijk, Netherlands
Internet: hevans@wm.estec.esa.nl SPAN: ESTWM2::hevans

It's a nice touch, when you're a houseguest, to make your bed.
It's a particularly nice touch to make it a place of delight
for your host's teen-age daughters.

P.J. O'Rourke - Modern Manners
