Subject: Re: Minor ticks beyond last xtickv?
Posted by Martin Schultz on Sat, 16 Sep 2000 07:00:00 GMT
View Forum Message <> Reply to Message

## Todd Clements wrote:

```
> Hi there...
> I deal with direct graphics only (sorry!) and I was recently playing with
> xticky to set up some axes in a certain way. The following command with
> some fake data shows my problem; it doesn't put minor ticks after the last
> tick value, and I'd really like it to. If you just let IDL do your axes,
> it will put them there. If you try to use xrange and set a higher xtickv
> to try and fake it, it ignores xrange. And I would like to have an exact
> range, not up to 5.0 or whatever. Any ideas on how to get those minor
> ticks?
 :: Needs more ticks!
  plot,findgen(50)/50.*4.,findgen(50)^2,xrange=,$
   xtickv=,xticks=8,xstyle=1,xminor=8
>
 ;; Ignores xrange in favor of xticky
> plot,findgen(50)/50.*4.,findgen(50)^2,xrange=,$
   xtickv=,xticks=10,xstyle=1,xminor=8
>
> Todd
???????????????
```

What exactly do you want?

```
I tried:
```

IDL> plot,findgen(50)/50.\*4.,findgen(50)^2,xrange=,\$
IDL>
xtickv=,xticks=8,xstyle=1,xminor=8

and it produces minor tick marks until the very end. If you want to omit the \*label\* at 4.5, you could do

IDL> plot,findgen(50)/50.\*4.,findgen(50)^2,xrange=,\$

IDL>

xtickv=[.5,1.,1.5,2,2.5,3,3.5,4.,4.5,5.],xticks=8,xstyle=1,x minor=8,\$ IDL> xtickname=['.5','1','1.5','2','2.5','3','3.5','4',' ','5']

If you don't want a tick mark at 4.5 it becomes a little more complicated. You would then have to use the axis command to create a second axis with a ticklen paramater that is smaller.

Regards,

## Martin

```
[[ Dr. Martin Schultz Max-Planck-Institut fuer Meteorologie [[
         Bundesstr. 55, 20146 Hamburg
         phone: +49 40 41173-308
[[
                                  [[
         fax: +49 40 41173-298
[[
                                 [[
[[ martin.schultz@dkrz.de
                                 [[
```