Subject: Re: Novice question.
Posted by Peter Clinch on Thu, 26 Oct 2000 12:22:12 GMT
View Forum Message <> Reply to Message

## Randall Skelton wrote:

- > I can set x=1.0 and y=2.0 at the command prompt but how do I then clear or
- > reset the x and y variables after this? Better still, how do I do this to
- > all the variables which I've defined in a program/function?

RTFM references you want are probably "delvar", ".reset\_session" ;-)

Though note you can assign new values to variables without clearing them first, as in most languages. Since IDL isn't particularly rigid with types (i.e., easier to move between them, and easier to get weird errors as a result of doing it by mistake!), you can set different types on the fly, so...

```
IDL> x=1.0
IDL> help,x
         FLOAT =
Χ
                         1.00000
IDL> x=2
IDL> help,x
Χ
          INT
                       2
IDL> delvar.x
IDL> help,x
Χ
          UNDEFINED = <Undefined>
IDL> x='hello'
IDL > v = x
IDL> help,x,y
Χ
          STRING = 'hello'
Υ
          STRING
                   = 'hello'
IDL> .reset session
IDL> help,x,y
          UNDEFINED = <Undefined>
Χ
Υ
         UNDEFINED = <Undefined>
```

HTH, Pete.

--

Peter Clinch University of Dundee
Tel 44 1382 660111 ext. 33637 Medical Physics, Ninewells Hospital
Fax 44 1382 640177 Dundee DD1 9SY Scotland UK
net p.j.clinch@dundee.ac.uk http://www.dundee.ac.uk/~pjclinch/