Subject: The cubic keyword in interpolate Posted by sterner on Mon, 13 Jun 1994 13:34:15 GMT

View Forum Message <> Reply to Message

In an earlier post I gave a warning about using the CUBIC keyword in INTERPOLATE, CONGRID, ROT:

- > Warning: INTERPOLATE has a keyword to do cubic interpolation.
- > It's easy to use, just add /cubic to the call.
- > However, don't assume this is better. Check it very carefully before
- > you rely on it. A number of people have reported problems with /cubic
- > in other routines (CONGRID, ROT). If the result of the cubic interp.
- > is carefully examined it will be found to have high frequency wiggles
- > in the values (with a period of roughly 20 some pixels for the case
- > I just checked). As of V3.6 beta this problem still exists (for
- > INTERPOLATE anyway). The default, bilinear, works very well.

I have been advised that this option is actually working correctly. I now believe that to be true. However I suspect a number of people misunderstood how this option actually works. Here is some code to demonstrate:

```
x=indgen(4); Some random data.
y=[1.,2,5,10]
x2=findgen(100)/100.*3.; Interpolate between points.
yl=interpolate(y,x2); Linear (L).
yn=interpolate(y,round(x2)); Nearest Neighbor (NN).
yc=interpolate(y,x2,/cubic); Cubic convolution (CC).
plot,x,y; Original data (4 points).
oplot,x2,yn; NN
oplot,x2,yl,psym=-4; L
oplot,x2,yc ; CC
```

The four original points are connected by 3 straight lines. Nearest Neighbor interpolation, yn, is the worst case. Linear interpolation, vI, is better. Cubic interpolation, yc, might be expected to give a nice smooth curve through the points, but that is a misunderstanding. The cubic interpolation is working correctly but it is not a spline fit.

The following code plots the expected curve.

```
r=nr_spline(x,y); Set up spline.
ycs=nr_splint(x,y,r,x2); Do spline interpolation.
oplot,x2,ycs
```

Unfortunately this doesn't help for 2-d interpolation.

Besides making processed images look better, the cubic convolution option does have other useful applications. Here is some code that shows how high spatial frequencies are restored better using the /cubic keyword:

```
x = findgen(1000); Generate a curve.

y = sin(x/(1+x/200.))

plot,x,y; Plot entire curve.
```

Just look at the high frequency part of the data:

```
plot,x,y,xran=[0,50],yran=[-1.2,1.2]
```

Note that it is somewhat ragged due to undersampling. Now interpolate up to a larger number of points using /cubic:

```
x2 = findgen(20000)/20.
y2 = interpolate(y,x2,/cubic)
oplot,x2,y2
```

Note that the interpolated curve appears better and might also be more useful for locating peaks. The peaks are not exactly where they should be but are closer than the uninterpolated peaks. Also note that the interpolated curve overshoots the true values as can be better seen by adding horizontal lines:

```
plots,[0,1000],[1,1]
plots,[0,1000],-[1,1]
```

Ray Sterner stern Johns Hopkins University Applied Physics Laboratory Laurel, MD 20723-6099

sterner@tesla.jhuapl.edu
North latitude 39.16 degrees.
bry West longitude 76.90 degrees.