
Subject: Re: IDLWAVE 4.7/Tutorial
Posted by [Henkie](#) on Wed, 13 Dec 2000 11:16:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

"Carsten Dominik" <dominik@astro.uva.nl> wrote in message
news:qzuhf48ppm7.fsf@antares.astro.uva.nl...

>>>> >> "H" == Henkie <deckard_007nospam@deja.com> writes:

>

> H> "up runs 'previous-line'

> H> 'previous-line' is an interactive compiled Lisp function

> H> -- loaded from "simple.elc" "

>

> H> Is this how it should be ?

>

> No this is wrong. I believe you are still running IDLWAVE 4.5. Try

> C-h v idlwave-mode-version RET

Have you ever ... ? You're right. I was so convinced that I was running
version 4.7.

I'm so sorry about my stupidity, still quite new to all of this. Thanks a
lot.

>

> H> OK, I've found the problem. It is not related to idlwave. I'm
running CDE

> H> on HP-UX and it appears that if I launch something from the desktop
(like

> H> XEmacs), it does not run in my own environment. So it has no access to
my

> H> environment variables. Can you believe this ? It took me quite long
to

> H> find out.

>

> I sure can believe this. It is a common setup problem. You need to

> setup the environment in the script that starts your window manager stc.

> - Carsten

I have solved this. It works now.

Henk
