
Subject: Re: Repeats and Triangulation

Posted by [Craig Markwardt](#) on Mon, 26 Feb 2001 22:31:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ben Tupper <pemaquidriver@tidewater.net> writes:

```
> The REPEATS keyword to TRIANGULATION returns a 2,n element
> array of pairs indices of repeated values. If no values are
> repeated then REPEATS = [-1,-1]. My question is 'How do I
> pull out the repeated values efficiently?'
>
```

...

```
> ;make the polygon descriptor (see IDLgrPolyLine)
> List = Conn[Conn[0]:Conn[1]-1L]
> Ptr = Ptr_NEW([N_elements(List),List])
> For i = 1, n_elements(X) -1 DO Begin
>   List = Conn[conn[i]:Conn[i+1]-1]
>   *Ptr = [*Ptr, n_elements(List), List]
> EndFor
```

Umm, while the procedure does not document how it treats repeated points -- which might be considered a documentation bug -- the format of the adjacency list is very similar to the output from the REVERSE_INDICES keyword of HISTOGRAM. That is, there are bins that have no entries, and there is a way to ignore them. How about inserting an IF clause which tests for this?

```
List = Conn[Conn[0]:Conn[1]-1L]
Ptr = Ptr_NEW([N_elements(List),List])
For i = 1, n_elements(X) -1 DO IF CONN[i+1] GT CONN[i] then Begin
  List = Conn[conn[i]:Conn[i+1]-1]
  *Ptr = [*Ptr, n_elements(List), List]
EndIf
```

The above solution works for me.

Your other options are to:

- * pre-check your point list to remove repeats. This might be done similar to UNIQ.
- * use the REPEATS array to remove duplicates.
DELMASK = lonarr(n_elements(x))
DELMASK (REP(1,*)) = 1
and then check DELMASK(i) EQ 1 before adding the point to your list.

Good luck,
Craig

--

Craig B. Markwardt, Ph.D. EMAIL: craigmnet@cow.physics.wisc.edu
Astrophysics, IDL, Finance, Derivatives | Remove "net" for better response
