

Posted by [Martin Schultz](#) on Wed, 28 Feb 2001 20:34:09 GMT

Carsten Dominik wrote:

 ∇

>>>> >> "MS" == Martin Schultz <martin.schultz@dkrz.de> writes:

✓

- > MS> Wow!! This is exactly what I was looking for... except that
- > MS> xemacs starts and tells me "Cannot load idlwave-shell" ;-(There
- > MS> must be some path settings somewhere that I am missing. It always
- > MS> works fine when I launch it from the menu.

 ∇

```
> (autoload 'idlwave-shell "idlw-shell" "IDL/WAVE Mode code" t)
```

✓

> in .emacs is missing.

> It is in the INSTALL file. If you use the XEmacs package, maybe I

```
> forgot to make this an autoload. I'll check.
```

 \triangleright

> - Carsten

THANKS!!! The idlw instead of idlwave did it !!! No more xterm !!!

Hurraaaaah!

Martin

PS: Unfortunately, this was about the only thing that worked today ;-(

—

[[Dr. Martin Schultz Max-Planck-Institut fuer Meteorologie [[
[[Bundesstr. 55, 20146 Hamburg [[
[[phone: +49 40 41173-308 [[
[[fax: +49 40 41173-298 [[
[[martin.schultz@dkrz.de [[