Subject: Re: Clsuter analysis wiht IDL Posted by Gonzalo Rojas on Fri, 02 Mar 2001 17:45:37 GMT View Forum Message <> Reply to Message

Hi Dorthe:

what is the difference between the obsolete IDL procedure "kmeans" and the new "cluster"?... In theory, with this procedures we get the same results, but I tested it with the same input parameters (same image, quantity of clusters, etc, etc), and we got different results...

could you please send me the answers to my e-mail to, because I don't read this newsgroup very often...

thanks in advance...

Gonzalo Rojas

Dorthe Wildenschild wrote:

- > I am trying to use the cluster analysis utility in IDL, and I can't work it
- > out. Perhaps due to my lack of knowledge in the statistical field.....

>

- > I have a 2D-image (658x658) with a single band of info (CT x-ray
- > intentities) that I want to classify (into three classes) using cluster
- > analysis. I assume I have to use the CLUST_WTS function first and then the
- > CLUSTER function, but I can't work it out.
- > The on-line help isn't very helpful on this topic....

>

- > If I use
- > weights = clust_wts(image, n_clusters=3), with image= intarr(658x658) I get
- > alot of floating errors.
- > Do I need to reform the image to (658x658,1) before using the clust_wts
- > function? Doesn't seem to work either, though. Also how do I get the
- > cluster numbers back as an overlay of my image? so that I can actually see
- > the result of the classification.

>

> Has anybody worked on cluster analysis using IDL?

>

- > Thanks for any help!
- > Dorthe

>

- > -
- > Posted from mail.isva.dtu.dk [192.38.88.3]
- > via Mailgate.ORG Server http://www.Mailgate.ORG

File Attachments

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive