Subject: Re: cw_fslider

Posted by Glenn Newnham on Fri, 16 Mar 2001 07:57:36 GMT

View Forum Message <> Reply to Message

David and Stein

I went down your modification of the cw_slider route. That works great, thanks very much.

Regards,

Glenn Newnham

David Fanning wrote:

```
>
> Stein Vidar Hagfors Haugan (shaugan@esa.nascom.nasa.gov) writes:
>> And what if the event_pro tries to communicate with you in the mean time?
>> Probably safer with
>>
    thisEvent = { ID:parent, TOP:ev.top, HANDLER:0L, VALUE:value, DRAG:drag }
>>
>>
    event_pro=state.event_pro
>>
    WIDGET CONTROL, stash, SET UVALUE=state, /NO COPY
    IF event_pro NE "" THEN BEGIN
      Call_Procedure, event_pro, thisEvent
>>
      thisEvent = 0
>>
    END
>>
    RETURN, this Event
>>
  Oh, well, something like this...:-)
>
 Cheers,
>
> David
> P.S. Let's just say it's going too far to correct
  a correction of your own incorrect post. :-(
>
> --
```

- > David Fanning, Ph.D.
- > Fanning Software Consulting
- > Phone: 970-221-0438 E-Mail: davidf@dfanning.com
- > Coyote's Guide to IDL Programming: http://www.dfanning.com/
- > Toll-Free IDL Book Orders: 1-888-461-0155