
Subject: seeing red (in postscript output)

Posted by [Richard French](#) on Thu, 15 Mar 2001 01:22:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm posting this for my brother - trying to maintain inter-family harmony here. it's an IDL routine that creates a PostScript file containing a TV image and an overplotted set of axes. The problem is that the output has an extra column of pixels - all red, in this case - that extend outside of the plot boundary. I know that there are other ways to do what is being done here, but my immediate question is:

Is there an easy way to modify THIS code so that the extra column of pixels is not present?

Thanks for any tips!

Dick French

```
;demonstrate problem with tv
```

```
;define image array
```

```
pixels = 23L
```

```
lines = 7L
```

```
demo_image = bindgen(pixels,lines)
```

```
;set up postscript page size and offsets
```

```
pgxsz = 6.0
```

```
pgysz = 9.0
```

```
pgxoff = 1.0
```

```
pgyoff = 1.0
```

```
;set image x size, compute y size via aspect ratio
```

```
ximpsz = 5.0
```

```
aspect = float(pixels)/float(lines)
```

```
;get bounds of image in inches
```

```
yimpsz = ximpsz/aspect
```

```
xposl = 0.0
```

```
xposr = xposl+ximpsz
```

```
yposb = 0.0
```

```
yposr = yposb+yimpsz
```

```
;compute normalized coordinates of image bounds and use these for plot overlay
```

```
xposln = xposl/pgxsz
```

```
xposrn = xposr/pgxsz
```

```
yposbn = yposb/pgysz
```

```

ypostn = ypost/pgysz

;define coordinate system of plot
;using 'origin' as lower left corner
utme_rng = [575000.0,603008.0]/1000.0
utmn_rng = [3929996.0,3938000.0]/1000.0 ;coords in km

;compute the physical pixel size
pixdim = (utme_rng[1]-utme_rng[0])/float(pixels)

;set up postscript device
pfil = 'demoproblem.ps'
set_plot,'ps'
device,/portrait,file=pfil,/inches,xsize=pgxsz,ysize=pgysz,x offset=xoff,yoffset=yoff,/COLOR

;load a color table
loadct,13 ;rainbow colors

;check image dimensions before tv
szimagebefore = size(demo_image)

;display the image
tv,demo_image,xposl,yposb,/inches,xsize=ximpsz,ysize=yimpsz

;check image dimensions after tv
szimageafter = size(demo_image)

;print the image sizes
; they will be the same!
print,'szimagebefore ',szimagebefore
print,'szimageafter ',szimageafter

;plot the coordinate axes
plot,utme_rng,utmn_rng,/nodata,title='Demo Image Display Problem',$
xtitle='UTME14 (km)',ytitle='UTMN14 (km)',/noerase,$
xstyle=1,ystyle=1,position=[xposln,yposbn,xposrn,ypostn],/no rmal

;number the columns starting with zero
;
lblposy = utmn_rng[0]+((lines-2)+0.5)*pixdim

for pct = 0,pixels-1 do begin
  lblposx = utme_rng[0]+(pct+0.0)*pixdim
  colnumstr = string(pct,format='(i2)')
  xyouts,lblposx,lblposy,colnumstr,color=1
endfor

;close the ps device

```

device,/close

end
