
Subject: Re: Detecting IDLDE or runtime
Posted by [R.Bauer](#) on Tue, 27 Mar 2001 11:24:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Oliver Smith wrote:

>
> Hi,
>
> The short question:
> Is there a way to detect if an IDL program is running in the development
> environment, or as a run-time .sav file?

Use `LMGR(/runtime)`

The online help says:

The LMGR function tests whether a particular licensing mode is in effect. The function returns True (1) if the mode specified is in effect, or False (0) otherwise. Different licensing modes are specified by keyword; see the "Keywords" section below for a description of each licensing mode.

The LMGR function can also force IDL into time demo mode or report the LMHostid number for the machine in use.

For more information on IDL's licensing methods, consult the IDL License Management Guide, which is included in Adobe Acrobat Portable Document Format on your IDL CD-ROM.

regards
Reimar

--
Reimar Bauer

Institut fuer Stratosphaerische Chemie (ICG-1)
Forschungszentrum Juelich
email: R.Bauer@fz-juelich.de
<http://www.fz-juelich.de/icg/icg1/>

=====

a IDL library at ForschungsZentrum Jülich
http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h.html

<http://www.fz-juelich.de/zb/text/publikation/juel3786.html>
